

Index

Note: Page numbers followed by “f” and “t” refer to figures and tables, respectively.

A

Acacia rigidula, 153–154
Accelerated solvent extraction (ASE), 30, 92t
Acceptable dietary intake (ADI), 305–306
Achyranthes aspera, 145
Acorn fruit extract, 7
Active films, 252
Active packaging aids, 249–253
Advanced packaging, 253
Aflatoxin B1 (AFB1), 147–148
Aglycones, 61–66
Alkaloids, 150–151
 plant extracts as sources of, 150–154, 152t
Allicin, 300–301
Allium sativum, 131, 147
Aloe vera, 272t, 278
α-pinene, 154–155
Alpinia calcarata (Rox.), 146
Amla (*Emblica officinalis*), 134–135
Amylase, 215–216
 role in food industry, 215–216, 216f
Anacardic acid, 59
Anacardium occidentale, 147
Andrographis paniculata extracts, 299–300
Annona crassiflora, 149–150
Anthocyanidins, 189–191, 271
Anthocyanins, 115, 189–192, 253–254, 270–271, 296
Antiatherosclerosis action, 277
Antibrowning agents, 127, 135–136
Anticancerous properties, 276–277
Antidiabetic activity, 278
Antidiabetic effect, 277–278
Antiinflammatory properties, 276–277
Antimicrobial activity, 66
Antimicrobial activity aids, 230–232
Antimicrobial activity of plant extracts, in food packaging, 233t
Antimicrobial agents (AAs), 226–227
Antimicrobial packaging film, 231
Antimicrobial proteins (AMP), 308
Antimicrobials, 127–132
Antioosteoporotic properties, 282–283
Antioxidant active films, 227–228
Antioxidant activity, 50, 60–66
Antioxidant activity aids, 232–243
 gelatin-based film, 240–243
 polysaccharide-based film, 238–240
Antioxidant activity of plant extracts, in food packaging, 242t

Antioxidant packaging, 232–238
Antioxidant-rich extract, 306
Antioxidants (AOX), 127
 plant extracts as sources of, 132–135, 147–148
Apocarotenoids, 195
Apple fruit extracts, 276
Apple peel polyphenols (APP), 240
Aqueous mint extract (ME), 252
Arnebiae uchroma, 254–256
Aronia melanocarpa, 31–32
Artemisia absinthium, 145–146, 277–278
Artemisia sphaerocephala, 254–256
Arthrospira platensis, 81
Artichoke (*Cynara scolymus*), 272t
 leaf extracts, 277
Artificial colorants, 188
Artificial compounds, 166
Artificial flavor, 165–166
Artocarpus chaplasi stem bark extract, 279
Aspartic proteases, 211
Astaxanthin, 194, 271
Asystasia gangetica, 145
Atropine, 151–153
Avocado (*Persea americana*) seed, 281

B

Bacillus cereus, 131
Bacillus megaterium, 131
Baking process, 215–216
Baobab seed extracts, 9
Barberis vulgaris, 152t, 153
Bark extracts, in food industry, 14t
Barks, 12–13
Barleria noctiflora, 147
Barley bran protein and gelatin (BBG), 229
Beet root (*Beta vulgaris*), 272t
Beet root extract, 14–15
Berberis aristata, 272t
Berberis integerrima, 272t
Berberis vulgaris, 272t
β-amylase, 215–216
β-carotene, 271
β-cyclodextrin, 79–80, 84
Betacyanins, 59
Betaine, 59
Betalains, 59, 192–193
Betalamic acid, 192

Betanin, 59, 192–193
 Betaxanthins, 59
 Beverage sector, 174–175
 Bioaccessibility, 90–91
 Bioactive compounds, 75
 classification of, 42–59
 Bioavailability, 90–91
 Bio-based antioxidant films, 241
 Biochemical compounds
 distribution of various chemical classes of, 40*t*
 Biodegradable packaging aids, 244–249
 polysaccharide-based films, 244–247
 protein-based films, 247–249
 Biopolymers, 244–245
 Black cumin extract, 9–12
 Black mulberry fruit extracts, 7
 Black soybean seed coat extract (BSSCE), 238–239
 Black tea extracts (BTE), 227–228
Bletilla striata, 147–148
 Blueberry extract, 225–226, 250
 Blueberry fruit extract, 7
 Boron (B), 145–146
Botrytis cinerea, 240
 Bran extracts, 9
 Broccoli (*Brassia oleracea*), 7
 Bromelain, 212
Bromelia hieronymi, 210
 Browning, 135
 Butylated hydroxyanisole (BHA), 133, 232–238, 249
 Butylated hydroxytoluene, 133, 232–238

C

Caesalpinia bonducella, 147
 Caffeic acid (CA), 57–58, 270–271
 Caffeine, 153–154, 297–298
 3-*O*-caffeoylquinic acid (3-CQA), 57–58
 4-*O*-Caffeoylquinic acid (4-CQA), 57–58
 5-*O*-Caffeoylquinic acid (5-CQA), 57–58
 Caffeoylquinic acids (CQA), 57–58
 Calcium, 145
Calotropis procera, 213
Camellia sinensis (green tea), 303
 Camucamu extract, 250
 Capcisin, 300–301
 Capital expenditure (CAPEX), 308
 Capsicum peppers, 297–298
 Carboxymethylcellulose (CMC), 248
 Cardosin A, 210–211
 Cardosin B, 210
Carica papaya, 213
 extract, 276
 Carnitine, 59
 Carnosic acid, 270–271

CarophyllPink, 194
 CarophyllRed, 194
 Carotenes, 42–49
 Carotenoids, 42–50, 143, 193–195, 270–271
 structural changes in, 61*t*
 Carrageenan, 244–245
 Carrageenan-based films, 252
 Catechin, 248, 270–271, 296, 300–301
 Catechin gallate, 270–271
Catharanthus roseus, 152*t*, 153
 Cellulase, 214–215
 role in food industry, 215
Centella asiatica (L), 146
 Chamnamul (*Pimpinella brachycarpa*), 7
 Cheese making process, 213
 Chemistry of plant extracts
 classification of bioactive compounds, 42–59
 glucosinolates, 58
 phenolic compounds, 51–58
 phytochemicals, 59
 terpenoids, 42–50
 extraction procedures and chemical composition, 39–42
 structure-activity relationship, 60–66
 phenolics, 60–66
 Chestnut fruit extract, 7
 Chicory root extract, 14–15
 Chinese chive root extract (CRE), 245–247
 Chinese chives (*Allium tuberosum*), 7
 Chinese hawthorn fruit extract, 250
 Chitosan (CS), 240
 Chitosan (CS) active packaging film, 238–239
 Chitosan (CS)-banana peels extract (BPE), 238–239
 Chitosan nanoparticles (CHNPs), 254–256
 Chitosan packaging films, 7–9
 Chive root extract, 14–15
 Chlorophyllin, 59
 Chlorophylls, 59, 195
 Chokeberry fruit extract, 25–26
 Choline, 59
Chondrodendron tomentosum, 153
 Chromatographic fingerprinting, 301
Chrysanthemum morifolium, 282–283
 flower extract, 12
Cinchona officinalis, 152*t*, 153
 Cinnamic acids, 57–58, 149
 Cinnamon (*Cinnamomum zeylanicum*), 132, 272*t*
Citrus limon, 131
Citrus paradise, 12
Citrus sinensis, 97
 Cloves (*Syzygium aromaticum*), 131
 Coacervation, 82–83, 173
 Cocoa (*Theobroma cacao*), 153–154
 Codeine, 153
 Coenzyme Q₁₀, 59

Coextrusion, 81
 Coffee and cocoa extracts, 5
 Colchicine, 153
 Collagen hydrolysate (CH) films, 249
 Colorimetric pH indicator film, 254–256
 Coloring agents, plant extracts as, 187
 anthocyanins, 189–192
 betalains, 192–193
 carotenoids, 193–195
 challenges with natural color, 201
 natural food colors, 188–189
 porphyrin pigments (chlorophylls), 195–196
 regulatory mechanism for food colors, 196–201
 synthetic colors and health impact, 188
 Compacted flavors, 171
 Compaction, 171
 Complex coacervation, 82–83
 Condensed tannins, 148–149
 Conventional extraction methods, 29
 Copper (Cu), 145–146
 Co-solvent, 28–29
 Cost of goods sold (COGS), 308
 3-p-Coumaroylquinic acid, 57–58
 5-p-Coumaroylquinic acid, 57–58
 C-phycocyanin, 81
 CPL, 213–214
Crocus sativus, 147
 CS-BRE films, 254–256
 CS-PRE films, 254–256
Cucumis melo, 193–194
 Cumin (*Cuminum cyminum*), 131, 281
 Curcumin, 299–301
 Cyanidin, 271
 Cyanidin-3-glucoside, 271
 Cyclodextrins, 84
 Cyclooxygenase 2, 277
Cynara cardunculus, 210–211
 Cyprus (*Citrus aurantium* L.), 132

D

Dandelion (*Taxacum officinale*), 272t
Datura fastuosa, 147
 Delphinidin, 271
 3,4-Dicaffeoylquinic acid, 57–58
 3,5-Dicaffeoylquinic acid (3,5-DCQA), 57–58
 Dietary antioxidants, 53
 3,4-Diferuloylquinic acid, 57–58
 3,5-Diferuloylquinic acid, 57–58
 Diterpenes, 52t
Dodonaea viscosa, 147
 Dragon fruit (*Hylocereus polyrhizus*), 272t, 276
 Drumstick leaf extract, 134
Dryopteris cochleata, 145

E

Electrospinning, 81
 Ellagitannin, 57
 Emulsion, 81–82
 Encapsulated material, 172–173
 Encapsulated plant flavors, use of, 177t
 Encapsulation, 76, 172–173
 Encapsulation techniques, for plant extracts, 77–84
 coacervation, 82–83
 emulsion, 81–82
 extrusion, 81
 fluidized bed coating, 80–81
 freeze drying, 79–80
 liposomes, 83–84
 molecular inclusion, 84
 spray chilling and spray cooling, 80
 spray drying, 78–79
 Endopectinases, 217
 Enzymatic browning, 135
 Enzyme-assisted extraction, 33, 39–41
 advantages and disadvantages of, 24t
 Enzyme based extraction method, 33
 Enzymes, plant extracts as, 210–219
 amylase, 215–216
 role in food industry, 215–216
 applications of plant enzymes in food industry, 219
 cellulase, 214–215
 role in food industry, 215
 history of enzyme use in food production, 209
 lipases, 213–214
 role in food industry, 213–214
 lipoxygenase, 216–217
 role in food industry, 217
 pectinases, 217
 role in food industry, 217
 peroxidase, 218–219
 protease, 210–213
 extraction procedure, 210
 role in food industry, 213
 source, 210
 types, 211–213
 Epazote extract, 5
 Epicatechin (EC), 270–271, 301
 Epicatechin-3-O-gallate (ECG), 301
 Epicatechin-gallate (ECG), 270–271, 276–277, 301
 Epigallocatechin (EGC), 227–228, 270–271, 276–277, 296, 300–301
 Epigallocatechin-3-O-(3-O-methyl)-gallate (EGCG3"Me), 301
 Epigallocatechin-3-O-gallate (EGCG), 301
 Epigallocatechin-gallate (EGCG), 270–271, 276–277, 299–301
Escherichia coli, 9–12, 131
 Essential oils (EOs), 226, 305

Eucalyptus globulus bark, 270–271
Euphorbia lathyris, 154–155
Euphorbia peplus, 154–155
 European Food Safety Authority (EFSA), 307–308
 Exopectinases, 217
 Extraction, 23
 Extraction techniques, 23
 enzyme-assisted extraction, 33
 extraction methods, 24–29, 24*t*
 maceration, 25–26
 soxhlet extraction method, 26–27
 supercritical carbon dioxide extraction, 27–29
 microwave-assisted extraction, 29–30
 pressurized liquid extraction, 30–31
 pulsed electric field extraction, 33–34
 ultrasound-assisted extraction, 31–33
 Extract yield, 128
 Extrusion, 81, 173

F

Fatsia (*Aralia elata*), 7
 Fennel (*Foeniculum vulgare*), 272*t*
 Fenugreek (*Trigonella foenum-graecum*), 272*t*
 Ferulic acid, 57–58
 1-*o*-Feruloyl glucose, 57–58
 4-Feruloylquinic acid (*O*-feruloylquinic acid), 57–58
 Fiacin, 212–213
Ficus racemosa, 29–30, 278
 Fish gelatin films, 250
 Flavanols, 297
 Flavonoids, 51–53, 143
 antibacterial activity of, 66
 Flavonoids and derivatives, 53
 Flavoring agents, plant extracts as
 advanced technologies to assess quality of plant-based
 flavorings, 171–172
 isotopic ratio mass spectrometry, 171
 radiocarbon dating, 171–172
 application of natural plant-based extracts, 174–179
 alcoholic beverages, 176–179
 bakery and confectionery industry, 175–176
 beverage industry, 174–175
 savory foods, 175
 encapsulation of plant extract flavorings, 172–174
 plant extracts used for flavoring, 167–168
 production of plant-based flavors, 168–171
 flavor extracts in liquid form, 169–170
 flavor extracts in solid form, 170–171
 safety evaluation and legislation for food flavorings, 180
 Flavoring compounds, 165–166
 Flower extracts, 12
 in food industry, 13*t*
 Flowers, 12

Fluidized bed coating, 80–81
 Food colorants, 188–189
 Food flavorings, 180
 Food industry, plant extracts in
 challenges, 301–309
 economic and ecological costs, 308–309
 food versus supplements, 301–303
 interactions, 304–305
 regulations, 307–308
 stability, 303–304
 toxicity, 305–307
 opportunities, 295–301
 herbs, 296–298
 prebiotics, 295–296
 spices, 298–299
 whole extracts versus purified components, 299–301
 Food packaging, 247–248
 Food preservation, 127
 Food preservatives, plant extracts as, 127
 as antibrowning agents, 135–136
 as antimicrobials, 128–132
 as antioxidants, 132–135
 extraction, 128
 sources, 128
 Food processing techniques, 97
 Free radical scavenging, 61
 Freeze drying, 79–80
 Fructooligosaccharides (FOS), 300
 Fruits and vegetables, 5–7
 Fruits extracts, in food industry, 6*t*
 Functional foods, 301–302
 Furcellaran (FUR), 254–256

G

Galactooligosaccharides (GOS), 300
Galla chinensis extracts, 304
 Gallic acid, 57, 270–271
 Galocatechin (GC), 270–271, 301
 Galocatechin gallate, 270–271
 Gallotannins, 54–57
 Gelatin, 248
 Gelatin emulsion, 173–174
 Gelatin hydrolysate (GELH)-based film, 254–256
 Gentisate 1,2-dioxygenase, 57
 Gentisic acid (2,5-dihydroxybenzoic acid), 57
 Geraniin, 57
 Ginger (*Zingiber officinales*), 131, 272*t*
 Ginger essential oil, 250
Ginkgo biloba, 154–155, 305–306
 Ginseng (*Panax ginseng*), 272*t*
 Ginseng extract, 305–306
 Glucosinolates, 58
 chemical structures of, 51*f*

Glutathione-S-transferase, 147–148
Glycyrrhiza glabra (L.), 146
Gordonia axillaris, 30
 Grapefruit seed extract (GSE), 9, 133, 227–228, 252
 Grape seeds, 280–281
 Grape skin, 227
 Green natural colorants, 195–196
 Green tea extracts (GTE), 227–228
 Guarana (*Paulinia cupana*), 153–154
 Guarana seed extract, 9
Gymnema sylvestre (R.Br.), 146

H

Haskap berry extract (HBE), 254–256
 Health benefits of plant extracts, 269, 271–284, 272*t*
 flower extracts, 281–283
 fruit extracts, 275–276
 leaf extracts, 276–278
 plant polyphenolic composition, 270–271
 roots and tuber extracts, 283–284
 seed extracts, 280–281
 stem and bark extracts, 278–280
 Heat processing, 89–91
Hedyotis corymbosa extracts, 299–300
 Hemicellulase, 214–215
 Hemiterpenes, 52*t*
 Hemp and sage oils, 250
 Hepatoprotective effects, 277
 Herbal alkaloids, 297–298
 Herbal polyphenols, 297
 Herb extracts, 5
 Herbs and spices, 299–300
 Hibiscus (*Hibiscus rosa sinensis*) flower extracts, 283
Hibiscus sabdariffa L. flower extract
 High hydrostatic pressure (HPP) processing, 103
 High pressure homogenization (HPH), 103
 High-pressure processing (HPP), 304
 High-voltage electrical discharges (HVED), 105
 Hot pressurized liquid extraction, 92*t*
 Hawthorn fruit extracts, 7
 Humanmilk oligosaccharides (HMO), 295–296
 Hydroalcoholic extraction, 92*t*
 Hydrogen peroxide, 219
 Hydrolysable tannins, 54–57
 Hydrolyzed vegetable protein (HYP), 175
 4-Hydroxybenzoic acid, 57
 Hydroxybenzoic acids, derivatives of, 57
 Hydroxycinnamic acids, derivatives of, 57–58
 Hydroxycinnamic esters, 57–58
Hylocereus polyrhizus, 254–256
 Hyoscyamine, 151–153
Hypericum perforatum, 92*t*, 305–306

I

Indicaxanthin, 59, 192
 Ingenol 3-mebutate, 154–155
 Intelligent packaging aids, 253–256
 Intelligent packaging technology, 254–256
 Interferon (IFN), 277
 Ion exchange chromatography (IEC), 301
Ipomoea aquatic, 145
 Iron (Fe), 145–146
 Isobetanin, 59
 Isoflavanones, 53
 Isoflavans, 53
 Isoflavones, 53
 Isoflavonoids, 53
 Isotopic ratio mass spectrometry, 171

K

Kaempferol, 62*t*, 270–271
 Karonda (*Carissa carandus*), 191
 Khorasan wheat starch (KWS) films, 245–247
 Kinnow peel extract, 7–9, 25–26
 Kiwi (*Actinidia arugata*), 272*t*
 Kiwi (*Actinidia deliciosa*) fruit extracts, 275
Klebsiella pneumonia, 131

L

Lavender (*Lavandula augustifolia* mill), 272*t*
 Leaf, 1–5
 Leaf extracts, in food industry, 3*t*
 Lignans, 54
 Lipases, 213–214
 role in food industry, 213–214
 Lipid oxidation, 132, 134
 Liposomes, 83–84
 Lipxygenase, 216–217
 role in food industry, 217
 Liquid flavors, 169–170
 Liquorice residue extract (LRE), 251
Listeria innocua, 131
Listeria monocytogenes, 9–12, 229
 Litchi flower extracts, 12
 Lotus leaf extract, 2
 Lutein, 271
Lycium ruthenicum anthocyanins (LRA), 228–229
 Lycopene, 193–194

M

Maceration, 25–26, 128
 advantages and disadvantages of, 24*t*
 Magnesium (Mg), 145–146
 Malic acid, 59

Maltodextrins, 79–80, 303–304
Malva parviflora, 145–146
Malva sylvestris, 31–32
 Malvidin, 271
 Manganese (Mn), 145–146
 Mango kernel extract, 250
 Mango leaf extract, 2
 Mango peels extract (MPE), 250
 Mangosteen (*Garcinia mangostana* L.), 238–239
 Mangosteen pericarp extract (MPE), 241, 250
 Mangosteen rind powder (MRP), 238–239
 Maple bark, 149–150
 Marjoram (*Majorana syriaca*), 297
Marrubium vulgare, 145–146
 Maté (*Ilex paraguariensis*), 153–154
 Mechanical processing, 98–103
 Methylcellulose extract (MC), 252
Micrococcus luteus, 131
 Microencapsulation, 172–173
 flavors and aromatic compounds, 173*t*
 Microwave-assisted extraction (MAE), 29–30, 39–41, 92*t*,
 128, 303–304
 advantages and disadvantages of, 24*t*
 Milk coagulation, 210
 Mineral elements, 145
 Minerals, plant extracts as sources of, 145–146
 Mint leaf extract, 2–5
 Molecular inclusion, 84
 Monomeric anthocyanins, 97–98
 Monoterpenes, 52*t*
 Moringa leaf extract (MLE), 134, 245–247, 250
Moringa oleifera, 2–5, 281
 Morphine, 151, 153
Morus leaf extracts, 25–26
 Mulberry (*Morus alba*), 272*t*
 Mulberry (*Morus* spp.) fruit extract, 275
 Murta fruit and leaf extract, 250
 Murta fruit extract (MU), 7, 252
 Myricetin, 270–271

N

Nanocarrier, 117
 Nanoencapsulation, 172–173
 flavor extracts from plant, 174*t*
 Natural biopolymers, 247–248
 Natural flavorings, 166
 Natural flavors, 168
 Natural food colors, 188–189
 Natural menthol, 173–174
 Natural porphyrin pigments, 195
 Natural preservatives, preparation of
 plant sources and parts used for, 129*t*
Nelumbo nucifera, 153–154

Neobetanin, 59
 Nettle (*Urtica dioica*), 132
 Nicotine, 297–298
Nigella sativa (black seed), 281
 Nonconventional extraction methods, 34
 Noncovalent protein–polyphenol interactions, 304
 Nondigestible oligosaccharides, 300
 Nonflavonoids, 51–53
 Non-hydrolysable tannins, 54–57
 Nonthermal processing, 98–105
 No-observed-adverse-effect level (NOAEL), 305–306
 Nutrient enhancers, plant extracts as
 as sources of alkaloids, 150–154
 as sources of antioxidants, 147–148
 as sources of minerals, 145–146
 as sources of polyphenols, 148–150
 as sources of terpenes, 154–155
 as sources of vitamins, 144–145

O

Oldenlandia corymbosa, 145
 Olive (*Olea europaea*), 272*t*
 Olive leaf extract, 2–5, 250
 Onion peel extract, 250
Onopordum acanthium, 210
 Operating expenditure (OPEX), 308
Opuntia ficusindica, 192
Opuntia stricta, 191
 Oregano (*Origanum vulgare* ssp. *hirtum*), 297
 Oregano essential oil, 250
Origanum spp., 270–271
 Oxalic acid, 59
 Oxocarotenoids, 42–49

P

Packaging, plant extracts for, 226–256
 active packaging aids, 249–253
 antimicrobial activity aids, 230–232
 antioxidant activity aids, 232–243
 gelatin-based film, 240–243
 polysaccharide-based film, 238–240
 biodegradable packaging aids, 244–249
 polysaccharide-based films, 244–247
 protein-based films, 247–249
 intelligent packaging aids, 253–256
 Packaging aids, plant extracts as
 smart packaging, 225–226
 active packaging, 225–226
 intelligent packaging, 226
 Papain, 212
Papaver rhoeas L. flower extracts, 25–26
Papaver somniferum, 153

- Papaya (*C. papaya* L.) leaf extract, 277
 Papaya seed extracts, 281
Parkia biglandulosa, 279–280
Parkia biglobosa, 272*t*, 279–280
Parkia filicoidea, 279–280
Parkia speciosa, 279–280
 p-coumaric acid, 149, 271
 Peanut skin extracts, 9
 Pectate lyase, 217
 Pectin, 228–229
 Pectinases, 214–215, 217
 role in food industry, 217
 Pectin esterases, 217
 Pectin lyase, 217
 Peel and skin, 7–9
 Peel extracts, in food industry, 8*t*
 Pelargonidin, 271
Peltophorum ferrugineum, 303
Penicillium italicum, 240
 Peonidin, 271
 Pepper (*Piper nigrum* L.), 297–298
 Peppermint (*Mentha piperita*), 131, 272*t*
Perilla spp., 270–271
 Peroxidase, 218–219
 Persimmon (*Diospyros kaki*), 272*t*
 Petunidin, 189–191, 271
 Pharmacodynamic synergy, 299
 Phenolic acids, 57–58, 149
 Phenolic compounds, 5, 30, 51–58
 chemical structures of, 49*f*
 classification of, 54*t*
 flavonoids and derivatives, 53
 isoflavonoids, 53
 lignans, 54
 phenolic acids, 57–58
 derivatives of hydroxybenzoic acids, 57
 derivatives of hydroxycinnamic acids, 57–58
 structural changes in, 62*t*
 tannins, 54–57
 Phenolics, 60–66, 270
 antimicrobial activity, 66
 antioxidant activity, 60–66
 Phenylpropane units, 54
 Phloroglucinol, 149
 Phosphorus (P), 145–146
Phyllostachys nigra, 306
 Phytic acid, 59, 283–284
 Phytochemicals, 59
 Phytoestrogens, 54
 Pine bark (*Pinus radiata*), 272*t*
 Pine bark extract (PBE), 12, 241
Pinus densiflora, 241
 Piperine, 153, 297–300
Piper longum, 153
Piper nigrum, 153
 Pistachio (*Pistacia vera* L.), 136
 Pitaya peel extracts, 7–9
 Plant-based flavoring compounds, 169*t*
 Plant-based food flavoring agents, 168
 Plant-based natural colors, 187–188
 Plant-based products, 227
 Plant-derived bioactive compounds, 81
 Plant-derived vitamins, 144
 Plant extract, preparation of, 130*f*
 Plant extract-based colorants, in India, 197*t*
 Plant extract stability, 89–90
 Plant materials, 127
 Plant minerals, 145
 Plant oils, 250
 Plated or extended flavors, 170–171
 Polygalacturonases, 217
 Polyphenol extraction, 97
 Polyphenolic compounds, 108–115
 Polyphenol-rich chokeberry extract, 81
 Polyphenols, 51–53, 143, 148–149, 296, 300–301
 effect of temperature on domestic and industrial processing
 of food, 94*t*
 plant extracts as sources of, 148–150
 Polysaccharides, 244–245
 Polyterpenoids, 52*t*
 Polyvinyl alcohol (PVA), 252
 Pomegranate (*Punica granatum*), 272*t*
 Pomegranate peel extract (PE), 7–9, 252
 Porphyrin pigments (chlorophylls), 195–196
 Potassium (K), 145–146
 Potato extracts, 7
 Pressure treatment, 103
 Pressurized hot water extraction, 92*t*
 Pressurized liquid extraction, 30–31, 39–41, 128
 advantages and disadvantages of, 24*t*
 Proanthocyanidins, 280–281
 Probetanin, 59
 Processing parameters, 90–91
 Propyl gallate, 133
 Protease, 210–213
 extraction procedure, 210, 211*f*
 role in food industry, 213
 source, 210
 types, 211–213
 Protein film-forming ingredients, 248
 Protocatechuic acids, 57
Pseudomonas aeruginosa, 131, 231–232
Pseudomonas fluorescens, 9–12
 Pterocarpanes, 53
 Pullulan packaging films, 12
 Pulsed electric field extraction, 33–34
 advantages and disadvantages of, 24*t*
 Pulsed electric field method, 33–34

Pulsed ultrasound-assisted extraction, 32–33
 Pulse electric field (PEF), 103–104
Punica granatum, 131
 Purple-fleshed sweet potato extract (PSPE), 254–256
 Purple onion peel extract (POPE), 254–256
 Purslane (*Portulaca oleracea* L.), 136
 Pyrogallol, 149

Q

Quercetin, 270–271, 300–301
Quercus suber L., 2–5
 Quinic acid, 59
 Quinine, 153, 297–298
 Quinine tree (*Cinchona pubescens*), 153–154
 Quinoline alkaloids, 153–154

R

Radiocarbon dating, 171–172
 Rapeseed protein–gelatin edible film, 248–249
 Raspberry (*Rubus idaeus*), 272*t*
 Raspberry fruit extract, 7
Rauvolfia caffra, 153–154
 Red pepper extract, 7
 Red pitaya fruit extract, 7
 Renewable biodegradable polymers, 244–245
 Resveratrol, 240, 296
Rheum ribes L. extract, 250
 Rhubarb, 280
 Roasted coffee extracts, 5
 Root extracts, 14–15
 in food industry, 15*t*
 Roots, 14–15
 Rosamarinic acid, 296
 Rose (*Rosa rubiginosa*), 272*t*
 Rosemary (*Rosmarinus officinalis*), 297
 Rosemary extract, 250
 Rosmarinic acid (RA), 270–271
Rosmarinus officinalis, 270–271
 Rotenoids, 53

S

Saffron (*Crocus sativus* L.) flower extracts, 281–282
 Sage (*Salvia officinalis*), 297
 Sago starch film, 5
 Salicylic acid (2-hydroxybenzoic acid), 57
Salmonella enteric, 131
Salmonella typhi, 131
Salvia officinalis, 270–271
 Satureja thymbra extracts, 251
 Scopalamine, 151–153
Scorzonena undulata, 145–146
 Seeds, 9–12

Sesamum radiatum, 149–150
 Sesquiterpenes, 52*t*
 Sesquiterpenoids, 52*t*
Silybum marianum, 210
 Sinapic acid, 57–58
 Sinapine, 57–58
 Sodium (Na), 145–146
 Sodium alginate, 228–229
Solanum jamesii, 283–284
Solanum trilobatum (L.), 146
 Solvent extraction, 39–41
 Sonication, 104–105
Sonneratia caseolaris (L.) Engl. leaf extract (SCELE), 231–232
 Sources of plant extracts, 1
 plant parts for preparation of extracts, 1–15, 2*f*
 barks, 12–13
 flowers, 12
 fruits and vegetables, 5–7
 leaf, 1–5
 peel and skin, 7–9
 roots, 14–15
 seeds, 9–12
 Soxhlet extraction method, 26–27, 26*f*, 128
 advantages and disadvantages of, 24*t*
 Soy flavonoids, 53
 Spice-based polyphenols and oleoresins, 298–299
 Spice oil, 299
 Spice oleoresins, 299
 Spice seeds, 9
 SPI films, 251
 Spray chilling, 80
 Spray cooling, 80
 Spray drying, 78–79, 170
 Spray-drying method, 303–304
 Stability of plant extracts, 90–116
 effect of extraction methods on, 92*t*
 effect of nonthermal processing on, 99*t*
 effect of pH on, 105–108, 106*t*
 effect of processing, 91–105
 nonthermal processing, 98–105
 thermal processing, 91–98
 effect of storage on, 108–115, 109*t*
 factors affecting, 104*f*
 improving, 116–117
 miscellaneous factors, 115–116
Staphylococcus aureus, 131
 Starch, 215–216, 244–245
 Starch-based polymer (Mater-Bi), 245–247
 Stephalagine, 153
 Sterols, 52*t*
 Subcritical water extraction, 92*t*
 Sumac (*Rhus coraria* L.), 132
 Supercritical carbon dioxide (CO₂) equipment, 28*f*

Supercritical carbon dioxide extraction, 27–29
 advantages and disadvantages of, 24*t*
 Supercritical-fluid extraction, 27–28, 39–41, 128
 Sweet pepper extract, 7
 Sweet wormwood, 299
 Synthetic antioxidants, 232–238
 Synthetic colors and health impact, 188
 Synthetic films, 247–248
 Synthetic flavors, 166, 167*t*, 168
Syrian propolis, 149
 Syringic acid, 57

T

TAG interesterification, 214
Tamarindus indica, 228–229
 Tannins, 54–57
 Tartaric acid, 59
 Tea (*Camellia sinensis*), 153–154
 leaf extracts, 276–277
 Tea extracts, 5
 Tea polyphenol (TP), 240–241
 Temperature-sensitive polyurethane (TSPU) films, 231–232
Terminalia chebula, 149
 Terpenes, 154–155
 plant extracts as sources of, 154–155
 Terpenoids, 42–50
 chemical structures of, 45*f*
 classification of, 52*t*
 Tert-butylhydroquinone, 133
 Tetraterpenoids, 52*t*
Thapsia garganica, 154–155
 Thapsigargin, 154–155
 Theobromine, 297–298
 Thermal analysis, 227–228
 Thermal processing, 91–98, 303
 Thyme (*Thymus kotschyana*), 131
Thymus vulgaris, 146
 Time-temperature indicator (TTI), 254–256
 Tobacco plant (*Nicotiana tabacum*), 153–154
 Tree bark, 12
 Triterpenoid-rich extract, 306
 Triterpenoids, 52*t*
 Tropane, 297–298
 Tubocurarine, 153

Tumor necrosis factor (TNF), 277
 Turmeric (*Curcuma longa*), 272*t*
 Tyrosinase, 136

U

Ubidecarenone, 59
 Ubiquinone, 59
 Ultra-high-pressure liquid chromatography (UHPLC), 301
 Ultrasound, 31
 Ultrasound-assisted extraction, 24*t*, 31–33, 39–41, 128
 Ultrasound assisted solvent extraction, 92*t*
 Ultraviolet radiation (UV), 104–105
Urtica dioica flower extract, 12

V

Vanilla, 171
 Vanillic acid (4-hydroxy-3-methoxy benzoic acid), 57, 271
 Vanillin, 171, 173–174
 Vegetable-based extracts, 7
 Vitamin E, 249
 Vitamins, plant extracts as sources of, 0015
Vitis amurensis, 254–256
 Vulgaxanthin, 59

W

Winter savory (*Satureja thymbra*), 297

X

Xanthophylls, 195, 270–271
 Xylooligosaccharides, 295–296, 300

Y

Yacon tubers, 284
 Yellow onion peel extract (YOPE), 245–247

Z

Zataria multiflora essential oil (ZEO), 227
 Zinc (Zn), 145–146, 195–196
 Zinc oxide nanoparticles (ZnO NPs), 228–229
Zingiber officinale, 147