

1ere Année Technologie

Procès Verbal du Jury Semestriel de Matières en Dettes - NP

Semestre 2

Session Normale

N°	Matricule	Niv	Moy 14	UEF12					UEM12					UED12			UET12				Moy S2	Créd S2	Résultats	
				Moy C2	Moy M2	Moy P2	Moy UEF1 2	Créd UEF 12	TPC2	TPP2	Moy MP	Moy Info2	Moy UEM 12	Créd UEM 12	Moy MST2	Moy UED 12	Créd UED 12	Moy Fran2	Moy Angl2	Moy UET 12				Créd UET 12
01	12T1048	L2	07.83	10.50	11.00	04.33	08.61	12	11.41	07.00	12.50	10.17	10.25	09	10.00	10.00	01	14.25	10.00	12.13	02	09.59	24	
02	1333015827	L2	08.03	10.00	10.33	04.50	08.28	12	13.25	11.83	11.00	05.50	09.42	05	15.00	15.00	01	11.00	10.00	10.50	02	09.27	20	
03	1333005615	L2	08.82	07.00	11.17	03.67	07.28	06	14.50	10.57	09.00	07.00	09.61	04	10.50	10.50	01	10.00	10.50	10.25	02	08.82	13	
04	1333012210	L2	09.66	04.50	08.83	06.17	06.50	00	14.83	10.25	13.00	09.67	11.48	09	11.00	11.00	01	12.50	10.00	11.25	02	09.66	12	
05	1333016516	L2	08.73	06.17	10.00	05.67	07.28	06	12.08	13.17	11.25	09.17	10.97	09	14.00	14.00	01	10.50	11.00	10.75	02	09.17	18	
06	1333005095	L2	08.73	08.67	10.33	07.33	08.78	06	12.21	13.41	14.75	04.82	10.00	09	12.50	12.50	01	11.50	10.00	10.75	02	09.59	18	
07	1333012069	L2	09.26	08.83	10.08	07.33	08.75	06	14.67	12.75	08.50	09.33	10.92	09	13.50	13.50	01	11.50	10.50	11.00	02	09.93	18	
08	11ST1205	L2	08.03	10.00	14.00	10.00	11.33	18	15.00	12.25	10.50	00.00	07.55	05	12.50	12.50	01	10.00	01.00	05.50	01	09.60	25	
09	1333004233	L2	08.74	07.50	12.08	06.83	08.81	06	14.00	12.17	07.50	10.00	10.73	09	10.00	10.00	01	07.00	10.00	08.50	01	09.41	17	
10	123015008	L2	07.64	11.50	10.08	04.92	08.83	12	11.66	10.00	12.50	08.33	10.17	09	13.50	13.50	01	11.00	11.50	11.25	02	09.78	24	
11	1333002905	L2	08.63	08.67	10.33	06.58	08.53	06	12.33	14.07	13.00	09.17	11.55	09	10.00	10.00	01	14.50	10.00	12.25	02	09.94	18	
12	1333001064	L2	09.07	10.50	08.25	03.83	07.53	06	11.58	10.00	11.50	08.50	10.02	09	13.50	13.50	01	11.00	06.50	08.75	01	09.07	17	
13	1333011599	L2	09.20	06.17	10.00	05.17	07.11	06	12.00	11.33	15.25	08.25	11.02	09	17.00	17.00	01	12.50	14.25	13.38	02	09.58	18	
14	123003488	L2	08.43	07.92	11.00	05.67	08.19	06	12.33	10.58	12.50	10.17	11.15	09	13.00	13.00	01	13.00	10.00	11.50	02	09.73	18	
15	09ST1288	L2	06.22	10.17	11.67	03.83	08.56	12	11.31	00.00	10.25	10.56	08.54	06	13.50	13.50	01	12.50	11.50	12.00	02	09.25	21	
16	123006723	L2	09.46	07.92	13.50	07.67	09.69	06	11.66	05.08	10.00	10.50	09.55	06	11.00	11.00	01	10.00	10.00	10.00	02	09.76	15	
17	123006637	L2	08.87	05.67	10.17	10.08	08.64	12	12.50	11.00	10.00	08.50	10.10	09	14.00	14.00	01	12.50	09.25	10.88	02	09.65	24	
18	123012613	L2	09.21	06.92	10.83	07.92	08.56	06	14.00	10.50	10.00	10.88	11.25	09	13.00	13.00	01	12.00	10.00	11.00	02	09.90	18	
19	12T0199	L2	07.67	04.67	12.00	06.67	07.78	06	13.16	12.50	10.00	09.31	10.86	09	13.00	13.00	01	12.00	10.00	11.00	02	09.37	18	
20	123003378	L2	09.38	02.17	10.00	03.00	05.06	06	10.50	10.00	10.00	09.33	09.83	05	12.00	12.00	01	10.00	08.00	09.00	01	09.38	13	
21	1333002812	L2	09.37	06.75	11.00	06.50	08.08	06	14.25	14.00	13.00	07.17	11.12	09	15.00	15.00	01	10.00	12.00	11.00	02	09.73	18	
22	123006112	L2	07.28	10.17	12.00	05.33	09.17	12	10.00	12.50	12.75	10.50	11.25	09	10.00	10.00	01	12.00	09.00	10.50	02	09.99	24	
23	1333003235	L2	08.13	05.75	10.33	01.83	05.97	06	13.33	10.58	10.00	10.50	10.98	09	13.00	13.00	01	13.00	12.00	12.50	02	08.63	18	
24	1333008239	L2	09.04	10.33	09.67	10.00	10.00	18	14.00	10.16	13.00	09.17	11.10	09	14.00	14.00	01	10.00	11.50	10.75	02	10.65	30	S2 validé14

N°	Matricule	Niv	Moy 14	Moy C2	Moy M2	Moy P2	Moy UEF1 2	Créd UEF 12	TPC2	TPP2	Moy MP	Moy Info2	Moy UEM 12	Créd UEM 12	Moy MST2	Moy UED 12	Créd UED 12	Moy Fran2	Moy Angl2	Moy UET 12	Créd UET 12	Moy S2	Créd S2	Résultats
25	1333006646	L2	09.25	04.67	07.75	03.83	05.42	00	10.87	10.00	11.50	11.00	10.87	09	12.00	12.00	01	13.00	08.00	10.50	02	09.25	12	
26	1333007258	L2	08.41	04.33	10.50	06.08	06.97	06	11.50	09.75	10.75	10.58	10.63	09	14.00	14.00	01	12.00	11.50	11.75	02	09.02	18	
27	12T0547	L2	08.60	13.33	11.33	05.33	10.00	18	12.83	13.25	10.00	09.75	11.12	09	13.50	13.50	01	10.00	10.00	10.00	02	10.53	30	S2 validé14
28	1333010024	L2	09.47	08.17	13.83	05.83	09.28	06	11.83	11.32	14.00	09.00	11.03	09	08.00	08.00	00	13.00	13.50	13.25	02	10.19	30	S2 validé14
29	123000712	L2	09.18	04.89	14.50	04.50	07.96	06	12.00	10.00	11.00	05.50	08.80	05	13.50	13.50	01	10.00	07.00	08.50	01	09.18	13	
30	1333013480	L2	07.94	06.67	10.00	05.33	07.33	06	13.10	10.42	16.00	08.33	11.24	09	12.00	12.00	01	10.00	13.00	11.50	02	09.25	18	
31	123007614	L2	09.10	06.58	10.75	03.08	06.81	06	14.50	13.00	10.00	10.44	11.67	09	10.50	10.50	01	13.00	10.00	11.50	02	09.10	18	
32	1333013476	L2	06.88	10.50	11.00	03.67	08.39	12	16.33	11.00	11.50	09.67	11.63	09	12.00	12.00	01	11.00	10.00	10.50	02	09.80	24	
33	123010129	L2	06.20	00.00	01.33	10.00	03.78	06	11.58	11.41	10.00	00.00	06.60	05	11.50	11.50	01	10.00	00.00	05.00	01	06.20	13	
34	1333011714	L2	08.24	10.83	05.67	04.50	07.00	06	12.50	08.83	12.75	07.96	10.00	09	14.50	14.50	01	14.00	15.00	14.50	02	09.21	18	
35	12T1170	L2	07.99	10.67	10.00	04.67	08.44	12	12.50	12.00	10.00	06.83	09.63	05	10.00	10.00	01	11.00	04.00	07.50	01	08.77	19	
36	1333011673	L2	07.82	06.67	11.67	05.33	07.89	06	12.75	13.41	11.50	08.17	10.80	09	10.00	10.00	01	13.25	08.00	10.63	02	09.19	18	
37	123000993	L2	09.62	10.00	05.67	10.25	08.64	12	10.50	09.50	10.00	10.00	10.00	09	11.00	11.00	01	11.25	10.50	10.88	02	09.62	24	
38	1333016747	L2	09.67	08.67	12.00	07.17	09.28	06	15.17	10.00	12.00	06.67	10.10	09	13.50	13.50	01	11.50	07.50	09.50	01	09.79	17	
39	123003363	L2	11.56	05.50	10.00	04.83	06.78	06	10.66	08.32	10.00	04.67	07.66	03	13.50	13.50	01	13.50	14.75	14.13	02	11.56	30	S2 validé14
40	1SEGC149813C	L2	09.88	07.33	10.17	06.50	08.00	06	15.50	07.75	10.00	04.17	08.32	03	14.00	14.00	01	15.00	11.00	13.00	02	09.88	12	
41	123013262	L2	09.70	08.00	12.67	03.67	08.11	06	12.51	09.34	10.00	11.00	10.77	09	10.00	10.00	01	13.00	15.50	14.25	02	09.73	18	
42	123003176	L2	09.41	08.17	09.33	04.58	07.36	00	13.00	12.50	10.00	07.33	10.03	09	11.00	11.00	01	11.50	11.00	11.25	02	09.41	12	
43	1333016742	L2	09.75	05.92	11.17	03.83	06.97	06	12.33	11.25	09.00	06.67	09.18	04	08.00	08.00	00	15.50	07.50	11.50	02	09.75	12	
44	1333010264	L2	09.00	10.08	10.25	10.00	10.11	18	12.08	11.17	12.00	08.67	10.52	09	15.00	15.00	01	08.50	11.50	10.00	02	10.50	30	S2 validé
45	1333009257	L2	09.50	08.00	10.33	07.92	08.75	06	11.83	10.00	10.75	09.67	10.38	09	13.50	13.50	01	12.00	09.00	10.50	02	09.72	18	
46	1333019213	L2	08.89	10.25	10.00	11.00	10.42	18	13.00	10.50	15.00	08.33	11.03	09	11.00	11.00	01	10.00	10.00	10.00	02	10.58	30	S2 validé
47	1333015725	L2	08.62	07.24	11.33	03.92	07.50	06	13.92	11.92	11.00	09.50	11.17	09	15.00	15.00	01	16.50	04.50	10.50	02	09.37	18	
48	1333004268	L2	08.81	08.50	14.00	05.00	09.17	06	16.00	12.00	07.50	07.33	10.03	09	14.00	14.00	01	14.50	12.50	13.50	02	10.22	30	S2 validé14
49	123012584	L2	09.48	10.67	10.67	04.83	08.72	12	10.00	10.00	10.00	05.00	08.00	05	10.00	10.00	01	11.25	13.00	12.13	02	09.48	20	
50	123002478	L2	09.53	10.00	08.00	04.50	07.50	06	14.75	09.00	10.00	08.67	10.22	09	15.50	15.50	01	14.50	08.50	11.50	02	09.53	18	
51	1333010634	L2	09.20	04.83	11.33	06.67	07.61	06	11.08	13.00	10.00	08.00	10.02	09	11.00	11.00	01	10.50	09.25	09.88	01	09.20	17	
52	123000590	L2	10.16	05.00	06.00	03.58	04.86	00	13.00	03.58	10.00	10.00	09.32	06	13.50	13.50	01	10.00	13.25	11.63	02	10.16	30	S2 validé14
53	1333006557	L2	09.51	10.00	10.67	04.50	08.39	12	13.50	10.41	08.50	10.00	10.48	09	11.00	11.00	01	11.00	10.50	10.75	02	09.51	24	
54	1333009968	L2	09.28	07.00	10.08	08.83	08.64	06	11.75	10.33	10.00	10.00	10.42	09	12.00	12.00	01	14.00	10.50	12.25	02	09.78	18	
55	1333002639	L2	09.76	04.78	10.67	06.75	07.40	06	14.16	10.83	12.00	08.17	10.67	09	12.00	12.00	01	12.50	14.50	13.50	02	09.76	18	
56	12MI030513CT	L2	08.05	03.92	11.00	05.33	06.75	06	11.75	10.83	10.00	14.31	12.24	09	10.00	10.00	01	10.50	14.50	12.50	02	09.23	18	
57	1333003265	L2	08.54	06.83	10.17	06.42	07.81	06	14.80	10.08	10.00	08.83	10.51	09	13.00	13.00	01	10.00	10.00	10.00	02	09.16	18	
58	08ST953	L2	08.83	11.00	10.00	05.67	08.89	12	11.75	11.50	10.00	08.67	10.12	09	12.00	12.00	01	10.00	10.00	10.00	02	09.56	24	
59	1333013173	L2	07.18	11.33	08.83	04.00	08.06	06	16.10	11.67	11.00	06.67	10.42	09	13.50	13.50	01	10.00	11.00	10.50	02	09.36	18	
60	08ST1062	L2	09.90	10.17	05.67	01.33	05.72	06	11.00	04.17	10.00	14.67	10.90	09	12.00	12.00	01	11.33	00.00	05.67	01	09.90	17	

N°	Matricule	Niv	Moy 14	Moy C2	Moy M2	Moy P2	Moy UEF1 2	Créd UEF 12	TPC2	TPP2	Moy MP	Moy Info2	Moy UEM 12	Créd UEM 12	Moy MST2	Moy UED 12	Créd UED 12	Moy Fran2	Moy Angl2	Moy UET 12	Créd UET 12	Moy S2	Créd S2	Résultats
61	123054170	L2	09.32	06.67	10.83	04.92	07.47	06	10.58	10.25	12.50	08.83	10.20	09	12.00	12.00	01	10.00	10.00	10.00	02	09.32	18	
62	123002477	L2	08.96	10.25	06.67	06.17	07.69	06	12.33	10.50	10.00	06.33	09.10	05	13.00	13.00	01	13.00	10.00	11.50	02	08.96	14	
63	123015349	L2	09.08	03.67	10.00	05.67	06.44	06	13.50	10.00	10.00	07.75	09.80	05	10.00	10.00	01	11.00	10.00	10.50	02	09.08	14	
64	1333002997	L2	09.59	10.00	10.00	05.25	08.42	12	15.16	12.33	10.00	09.33	11.23	09	12.00	12.00	01	12.50	10.50	11.50	02	09.82	24	
65	123014771	L2	08.31	06.83	11.00	03.25	07.03	06	14.50	10.84	10.00	08.00	10.27	09	10.00	10.00	01	17.50	10.00	13.75	02	08.95	18	
66	123014959	L2	07.84	10.33	10.08	02.33	07.58	12	13.16	09.41	10.50	01.33	07.15	03	12.00	12.00	01	13.00	10.00	11.50	02	08.18	18	
67	1333010048	L2	07.81	08.00	12.25	05.33	08.53	06	10.08	09.42	11.00	09.75	10.00	09	10.00	10.00	01	10.00	10.00	10.00	02	09.22	18	
68	1333000678	L2	09.63	10.00	07.33	06.83	08.06	06	14.88	11.50	14.00	11.17	12.54	09	10.00	10.00	01	12.25	08.00	10.13	02	09.73	18	
69	1333012943	L2	09.50	10.00	10.50	06.50	09.00	12	11.35	10.58	10.50	07.67	09.55	05	16.00	16.00	01	11.00	12.50	11.75	02	09.90	20	
70	1333006184	L2	08.05	12.83	10.67	10.17	11.22	18	10.63	11.83	09.25	09.83	10.27	09	13.50	13.50	01	08.50	06.25	07.38	00	10.62	30	S2 validé14
71	12T0433	L2	06.78	10.00	10.33	02.17	07.50	12	10.75	11.50	10.00	06.00	08.85	05	11.00	11.00	01	10.25	10.50	10.38	02	08.44	20	
72	123002486	L2	08.45	06.50	10.08	03.75	06.78	06	17.66	10.50	10.00	10.88	11.98	09	13.00	13.00	01	10.25	10.00	10.13	02	09.07	18	
73	1333014796	L2	09.05	10.00	12.17	05.83	09.33	12	13.33	13.00	10.00	08.00	10.47	09	17.00	17.00	01	10.00	12.50	11.25	02	10.34	30	S2 validé
74	123004314	L2	08.00	06.25	12.00	08.33	08.86	06	12.41	10.67	13.25	09.83	11.20	09	13.00	13.00	01	11.00	10.25	10.63	02	10.00	30	S2 validé14
75	123006121	L2	08.96	07.67	07.00	06.83	07.17	00	13.66	09.17	12.00	09.33	10.70	09	13.50	13.50	01	11.50	11.00	11.25	02	09.06	12	
76	1333006122	L2	09.07	03.67	11.33	06.75	07.25	06	16.66	12.91	14.00	06.50	11.31	09	14.00	14.00	01	10.00	06.75	08.38	01	09.07	17	
77	1333006022	L2	07.98	04.00	11.00	05.83	06.94	06	12.67	11.08	12.50	06.87	10.00	09	12.00	12.00	01	11.50	11.00	11.25	02	08.65	18	
78	1333006013	L2	09.53	06.33	11.00	10.00	09.11	12	11.41	11.00	10.50	10.92	10.95	09	16.00	16.00	01	14.00	10.00	12.00	02	10.40	30	S2 validé14
79	1333012052	L2	08.64	08.00	10.67	06.67	08.44	06	16.00	11.16	11.50	07.67	10.80	09	13.00	13.00	01	10.50	10.00	10.25	02	09.62	18	
80	1333013151	L2	08.97	04.83	03.83	05.50	04.72	00	14.80	10.42	09.75	10.50	11.19	09	10.50	10.50	01	14.00	11.00	12.50	02	08.97	12	
81	1333013085	L2	09.36	05.50	12.33	05.50	07.78	06	13.50	11.08	11.50	08.17	10.48	09	13.00	13.00	01	10.50	10.25	10.38	02	09.36	18	
82	12T0120	L2	08.16	06.50	10.00	06.17	07.56	06	14.40	11.32	10.00	10.00	11.14	09	14.00	14.00	01	10.00	15.00	12.50	02	09.57	18	
83	1333015126	L2	08.24	10.00	10.33	06.50	08.94	12	14.08	10.00	11.00	08.67	10.48	09	12.00	12.00	01	10.00	10.00	10.00	02	09.70	24	
84	123009941	L2	09.31	07.33	10.17	07.17	08.22	06	14.25	10.51	10.00	09.25	10.65	09	10.50	10.50	01	11.00	10.00	10.50	02	09.34	18	
85	123006250	L2	09.12	04.33	12.33	04.67	07.11	06	12.00	11.09	12.00	05.00	09.02	05	13.50	13.50	01	10.00	05.50	07.75	01	09.12	13	
86	123005662	L2	09.60	12.25	08.67	05.08	08.67	06	11.00	11.08	10.00	10.00	10.42	09	13.00	13.00	01	10.00	07.50	08.75	01	09.60	17	
87	12SNV029714CT	L2	08.97	05.67	10.25	06.25	07.39	06	15.00	14.33	13.50	09.00	12.17	09	13.50	13.50	01	11.50	10.00	10.75	02	09.55	18	
88	1333014841	L2	09.14	10.00	10.17	04.08	08.08	12	12.38	12.00	10.75	11.92	11.79	09	12.00	12.00	01	12.75	11.00	11.88	02	09.85	24	
89	1333009068	L2	07.18	11.42	08.08	06.50	08.67	06	12.40	10.83	09.50	09.00	10.15	09	13.50	13.50	01	13.50	13.75	13.63	02	09.97	18	
90	123019246	L2	09.62	11.33	10.00	06.00	09.11	12	11.33	11.84	10.00	07.75	09.73	05	12.50	12.50	01	14.00	11.00	12.50	02	09.89	20	
91	123011609	L2	09.24	05.67	10.67	03.50	06.61	06	13.83	11.25	12.25	10.00	11.47	09	10.00	10.00	01	12.00	10.50	11.25	02	09.24	18	
92	1333002779	L2	09.90	06.33	11.83	03.67	07.28	06	10.91	10.58	10.00	09.50	10.10	09	13.00	13.00	01	16.00	15.50	15.75	02	09.90	18	
93	1333006499	L2	09.89	10.00	11.00	06.25	09.08	12	11.83	10.92	07.50	07.17	08.92	04	11.00	11.00	01	10.50	11.50	11.00	02	09.89	19	
94	1333004969	L2	08.54	07.67	11.67	10.67	10.00	18	09.16	10.08	10.00	05.00	07.85	03	10.00	10.00	01	14.50	08.00	11.25	02	09.51	24	
95	12T0616	L2	08.90	10.50	10.00	04.67	08.39	12	12.06	12.66	10.00	05.83	09.28	05	11.00	11.00	01	10.00	06.50	08.25	01	08.90	19	
96	1333016758	L2	07.87	10.00	11.50	06.17	09.22	12	13.83	08.93	14.00	08.83	10.89	09	11.00	11.00	01	10.75	14.00	12.38	02	10.19	30	S2 validé14

N°	Matricule	Niv	Moy 14	Moy C2	Moy M2	Moy P2	Moy UEF1 2	Créd UEF 12	TPC2	TPP2	Moy MP	Moy Info2	Moy UEM 12	Créd UEM 12	Moy MST2	Moy UED 12	Créd UED 12	Moy Fran2	Moy Angl2	Moy UET 12	Créd UET 12	Moy S2	Créd S2	Résultats
97	1333001010	L2	09.63	06.08	11.17	05.33	07.53	06	11.50	11.83	10.00	08.83	10.20	09	11.00	11.00	01	12.50	10.50	11.50	02	09.63	18	
98	1333003394	L2	09.56	08.17	10.17	10.00	09.44	12	16.00	11.67	11.50	06.67	10.50	09	15.00	15.00	01	12.00	10.00	11.00	02	10.26	30	S2 validé
99	12T0544	L2	09.44	10.33	08.50	09.17	09.33	06	10.00	11.00	10.00	04.67	08.07	05	14.50	14.50	01	11.50	10.00	10.75	02	09.44	14	
100	1333008024	L2	09.86	08.08	08.83	07.08	08.00	00	14.17	11.24	14.50	10.25	12.08	09	10.00	10.00	01	11.50	11.75	11.63	02	09.86	12	
101	1333012941	L2	09.00	06.83	10.33	04.33	07.17	06	13.33	11.33	12.50	08.17	10.70	09	13.50	13.50	01	11.50	12.00	11.75	02	09.12	18	
102	1333002561	L2	09.50	08.33	11.83	10.00	10.06	18	13.00	13.75	08.25	08.83	10.53	09	13.00	13.00	01	10.00	11.25	10.63	02	10.44	30	S2 validé
103	1333005397	L2	08.65	05.83	10.00	03.17	06.33	06	15.00	10.75	11.00	06.08	09.78	05	14.50	14.50	01	10.00	10.00	10.00	02	08.65	14	
104	1333005572	L2	08.82	10.00	10.00	06.92	08.97	12	10.39	10.17	10.00	09.00	09.71	05	15.00	15.00	01	10.00	11.50	10.75	02	09.75	20	
105	12T0981	L2	09.16	10.00	08.17	03.17	07.11	06	13.16	10.50	10.00	08.67	10.20	09	11.00	11.00	01	13.00	10.00	11.50	02	09.16	18	
106	1333008961	L2	09.31	06.67	10.33	06.75	07.92	06	13.08	09.17	15.00	07.67	10.52	09	15.00	15.00	01	10.00	11.50	10.75	02	09.43	18	
107	123007544	L2	08.60	10.00	11.33	10.00	10.45	18	14.66	10.33	11.50	06.75	10.00	09	12.00	12.00	01	10.00	04.50	07.25	01	10.03	30	S2 validé14
108	1333008922	L2	09.65	05.58	11.00	08.00	08.19	06	10.42	11.58	11.50	09.67	10.57	09	16.50	16.50	01	11.00	14.00	12.50	02	09.89	18	
109	1333000818	L2	08.94	04.17	09.67	05.17	06.33	00	12.66	11.99	11.50	11.17	11.70	09	11.00	11.00	01	14.00	11.50	12.75	02	08.94	12	
110	11ST1184	L2	08.14	12.42	04.25	04.67	07.11	06	10.50	10.34	10.00	10.19	10.24	09	13.50	13.50	01	10.00	10.00	10.00	02	08.75	18	
111	1333008936	L2	09.70	06.17	08.25	05.33	06.58	00	11.88	10.25	16.50	09.00	11.33	09	13.00	13.00	01	13.50	09.50	11.50	02	09.70	12	
112	10ST0184	L2	08.43	10.00	11.33	02.00	07.78	12	11.63	11.38	10.00	09.67	10.47	09	10.00	10.00	01	10.00	10.00	10.00	02	08.96	24	
113	1333010219	L2	08.63	07.25	12.33	10.42	10.00	18	15.00	11.41	11.50	11.50	12.18	09	13.50	13.50	01	06.50	10.50	08.50	01	10.67	30	S2 validé14
114	123014723	L2	09.65	03.33	10.00	05.67	06.33	06	13.66	12.00	10.00	07.67	10.20	09	10.00	10.00	01	14.00	10.25	12.13	02	09.65	18	
115	1333014992	L2	07.64	03.92	11.50	03.83	06.42	06	14.80	10.00	12.50	08.33	10.79	09	12.00	12.00	01	14.00	06.00	10.00	02	08.45	18	
116	123004307	L2	07.92	02.83	11.17	05.33	06.44	06	12.17	12.42	12.00	04.33	09.05	05	13.50	13.50	01	10.00	10.00	10.00	02	08.04	14	
117	1333009392	L2	07.35	10.00	11.67	04.00	08.56	12	14.50	09.25	10.00	08.12	10.00	09	08.00	08.00	00	10.00	04.50	07.25	01	08.79	22	
118	1333006085	L2	09.50	08.75	11.17	04.83	08.25	06	14.16	08.50	12.00	10.50	11.13	09	13.00	13.00	01	12.50	10.00	11.25	02	09.73	18	
119	10ST11T15	L2	07.98	07.75	10.00	10.00	09.25	12	11.83	10.08	10.00	05.00	08.38	05	11.50	11.50	01	12.50	04.00	08.25	01	09.01	19	
120	1333010273	L2	08.79	10.00	06.67	09.42	08.69	06	13.67	13.92	07.00	10.67	11.18	09	13.00	13.00	01	14.00	15.50	14.75	02	10.39	30	S2 validé14
121	123007602	L2	09.83	08.50	11.50	05.25	08.42	06	14.25	11.50	10.00	07.70	10.23	09	11.50	11.50	01	13.75	10.00	11.88	02	09.83	18	
122	1333016535	L2	08.41	10.00	10.17	05.83	08.67	12	13.33	10.84	10.00	09.83	10.77	09	08.50	08.50	00	16.50	10.00	13.25	02	09.81	23	
123	123007595	L2	08.35	04.17	11.58	03.42	06.39	06	14.50	08.34	10.00	10.63	10.82	09	10.00	10.00	01	13.00	10.00	11.50	02	08.51	18	
124	12MI015113CT	L2	07.10	10.00	10.00	04.00	08.00	12	13.08	06.16	10.00	11.50	10.45	09	13.00	13.00	01	10.00	12.00	11.00	02	09.37	24	
125	12T0220	L2	08.46	07.42	11.00	04.17	07.53	06	11.92	10.17	10.00	10.00	10.42	09	11.50	11.50	01	10.00	08.50	09.25	01	08.81	17	
126	08ST923	L2	05.63	01.00	10.67	03.67	05.11	06	12.50	10.00	10.00	09.03	10.11	09	10.00	10.00	01	10.00	10.00	10.00	02	07.44	18	
127	123014690	L2	10.66	08.08	10.00	02.83	06.97	06	12.66	12.49	12.00	07.00	10.23	09	13.50	13.50	01	12.50	13.50	13.00	02	10.66	30	S2 validé14
128	123006650	L2	10.71	04.00	09.67	04.83	06.17	00	12.41	08.92	10.00	11.94	11.04	09	08.00	08.00	00	10.00	17.00	13.50	02	10.71	30	S2 validé14
129	10ST0709	L2	09.41	07.33	06.83	05.17	06.44	00	10.83	10.08	10.00	10.33	10.32	09	11.00	11.00	01	12.50	07.50	10.00	02	09.41	12	
130	1333012244	L2	07.61	08.42	10.00	05.67	08.03	06	15.50	12.33	14.25	13.00	13.62	09	16.00	16.00	01	10.00	12.00	11.00	02	10.49	30	S2 validé14
131	1333015254	L2	08.05	08.08	10.00	08.83	08.97	06	12.00	11.00	10.00	08.83	10.13	09	14.00	14.00	01	08.50	18.50	13.50	02	10.14	30	S2 validé14
132	123000973	L2	09.62	04.33	08.00	05.17	05.83	00	12.91	11.75	10.00	08.38	10.28	09	13.50	13.50	01	12.50	18.50	15.50	02	09.62	12	

N°	Matricule	Niv	Moy 14	Moy C2	Moy M2	Moy P2	Moy UEF1 2	Créd UEF 12	TPC2	TPP2	Moy MP	Moy Info2	Moy UEM 12	Créd UEM 12	Moy MST2	Moy UED 12	Créd UED 12	Moy Fran2	Moy Angl2	Moy UET 12	Créd UET 12	Moy S2	Créd S2	Résultats
133	1333011328	L2	08.45	06.17	10.67	06.50	07.78	06	14.38	13.00	14.00	07.67	11.34	09	13.00	13.00	01	12.25	10.50	11.38	02	09.56	18	
134	1333004887	L2	10.87	07.58	08.33	04.33	06.75	00	11.17	10.25	14.50	07.03	10.00	09	14.50	14.50	01	14.00	15.00	14.50	02	10.87	30	S2 validé14
135	123013689	L2	09.89	02.17	10.33	02.00	04.83	06	12.33	10.25	10.00	00.00	06.52	05	10.00	10.00	01	14.25	07.50	10.88	02	09.89	14	
136	1333008866	L2	08.42	08.17	11.50	03.50	07.72	06	12.42	11.50	10.75	08.00	10.13	09	11.00	11.00	01	11.50	13.50	12.50	02	09.19	18	
137	1333013051	L2	07.80	08.33	07.67	07.92	07.97	00	14.25	12.30	12.50	12.25	12.71	09	16.00	16.00	01	10.00	09.00	09.50	01	10.02	30	S2 validé14
138	1333006086	L2	08.99	06.50	14.17	09.33	10.00	18	12.25	08.08	10.50	07.00	08.97	03	13.50	13.50	01	11.00	10.00	10.50	02	09.96	24	
139	12SNV021414CT	L2	09.53	10.00	10.00	04.67	08.22	12	14.60	11.92	13.50	05.50	10.20	09	14.00	14.00	01	10.00	10.00	10.00	02	09.53	24	
140	123016151	L2	07.54	06.50	10.67	01.67	06.28	06	14.41	10.00	10.00	10.06	10.91	09	12.00	12.00	01	10.00	10.00	10.00	02	08.41	18	
141	1333014764	L2	09.10	06.17	12.33	08.42	08.97	06	11.50	11.59	10.00	13.42	11.98	09	13.00	13.00	01	11.00	13.75	12.38	02	10.50	30	S2 validé14
142	1333008886	L2	09.25	06.00	12.00	05.17	07.72	06	10.66	10.17	13.50	07.83	10.00	09	12.00	12.00	01	11.00	10.00	10.50	02	09.25	18	
143	11ST0871	L2	09.28	04.33	12.83	07.83	08.33	06	14.16	10.00	14.00	10.33	11.77	09	13.00	13.00	01	10.50	12.00	11.25	02	09.96	18	
144	1333012242	L2	08.27	06.33	10.33	06.33	07.67	06	12.00	12.50	13.25	09.67	11.42	09	12.00	12.00	01	11.00	12.25	11.63	02	09.49	18	
145	1333000656	L2	09.35	07.83	10.17	08.83	08.94	06	14.00	10.16	10.75	07.55	10.00	09	13.00	13.00	01	15.00	07.00	11.00	02	09.74	18	
146	123004901	L2	09.56	10.00	10.08	04.83	08.31	12	13.75	13.50	10.00	07.63	10.50	09	14.50	14.50	01	12.25	11.50	11.88	02	09.74	24	
147	11ST0027	L2	07.53	04.25	10.33	02.67	05.75	06	13.33	11.50	10.00	11.63	11.62	09	10.00	10.00	01	13.00	09.00	11.00	02	08.34	18	
148	123009215	L2	09.69	12.92	07.33	08.17	09.47	06	13.25	13.67	14.00	02.67	09.25	05	12.00	12.00	01	11.00	08.00	09.50	01	09.69	13	
149	123009039	L2	08.96	11.00	10.17	05.25	08.81	12	15.00	10.00	13.50	08.33	11.03	09	15.00	15.00	01	13.00	09.00	11.00	02	10.08	30	S2 validé
150	123008897	L2	09.15	10.42	07.33	07.83	08.53	06	12.50	10.08	13.50	09.00	10.82	09	12.00	12.00	01	10.00	07.00	08.50	01	09.40	17	
151	1333011616	L2	08.79	07.33	12.25	03.00	07.53	06	13.50	10.50	08.00	09.00	10.00	09	14.00	14.00	01	13.50	11.50	12.50	02	09.22	18	
152	123003419	L2	07.70	05.92	10.00	03.50	06.47	06	09.92	11.08	10.00	10.33	10.33	09	13.50	13.50	01	12.50	09.00	10.75	02	08.52	18	
153	1333013044	L2	08.97	05.75	13.00	05.17	07.97	06	14.92	12.49	12.00	09.83	11.81	09	13.50	13.50	01	12.00	11.50	11.75	02	09.87	18	
154	1333002585	L2	09.41	06.17	11.58	04.00	07.25	06	16.50	08.66	13.50	09.50	11.53	09	12.00	12.00	01	11.00	11.50	11.25	02	09.41	18	
155	12T0382	L2	08.89	10.92	08.67	03.67	07.75	06	12.85	11.58	10.00	11.56	11.51	09	11.00	11.00	01	10.50	10.00	10.25	02	09.34	18	
156	123011453	L2	09.01	10.00	08.67	05.67	08.11	06	12.00	10.66	10.00	09.38	10.28	09	13.00	13.00	01	12.00	13.00	12.50	02	09.55	18	
157	123011613	L2	08.18	10.83	07.33	02.33	06.83	06	13.00	10.66	10.00	10.81	11.06	09	12.00	12.00	01	12.00	10.00	11.00	02	08.87	18	
158	1333019283	L2	10.14	03.50	11.67	03.42	06.19	06	14.50	10.00	12.00	06.00	09.70	05	14.00	14.00	01	13.50	12.50	13.00	02	10.14	30	S2 validé14
159	123003472	L2	07.21	10.08	10.83	04.33	08.42	12	14.16	12.33	10.50	04.83	09.33	05	11.00	11.00	01	09.50	10.00	09.75	01	08.99	19	
160	123009183	L2	07.90	10.25	06.78	03.33	06.79	06	12.29	10.66	10.00	09.50	10.39	09	12.00	12.00	01	10.50	12.25	11.38	02	08.69	18	
161	1333003425	L2	09.47	03.67	06.33	07.00	05.67	00	11.92	10.75	12.50	13.00	12.23	09	12.00	12.00	01	10.00	16.00	13.00	02	09.47	12	
162	123013261	L2	07.26	10.17	13.58	04.00	09.25	12	11.33	11.50	07.00	05.50	08.17	04	12.00	12.00	01	10.00	04.50	07.25	01	08.86	18	
163	1333003200	L2	09.25	08.00	11.17	05.17	08.11	06	13.10	12.17	10.00	12.00	11.85	09	12.00	12.00	01	12.00	10.50	11.25	02	09.81	18	
164	1333012173	L2	07.71	07.50	10.00	06.00	07.83	06	12.92	09.50	11.00	10.67	10.95	09	10.00	10.00	01	13.50	10.00	11.75	02	09.34	18	
165	1333016744	L2	09.63	08.17	10.83	07.00	08.67	06	13.50	11.50	11.50	07.00	10.10	09	13.50	13.50	01	11.50	13.50	12.50	02	09.82	18	
166	1333008273	L2	08.62	10.00	10.17	06.33	08.83	12	14.50	11.42	10.00	09.50	10.98	09	13.54	13.54	01	10.50	12.50	11.50	02	10.06	30	S2 validé14
167	123011929	L2	09.32	06.67	11.33	08.50	08.83	06	14.00	10.42	14.50	07.67	10.85	09	11.00	11.00	01	12.50	08.00	10.25	02	09.72	18	
168	1333013079	L2	09.33	10.00	09.33	02.83	07.39	06	12.33	11.92	14.00	11.50	12.25	09	13.00	13.00	01	12.50	08.00	10.25	02	09.49	18	

N°	Matricule	Niv	Moy 14	Moy C2	Moy M2	Moy P2	Moy UEF1 2	Créd UEF 12	TPC2	TPP2	Moy MP	Moy Info2	Moy UEM 12	Créd UEM 12	Moy MST2	Moy UED 12	Créd UED 12	Moy Fran2	Moy Angl2	Moy UET 12	Créd UET 12	Moy S2	Créd S2	Résultats
169	1333004879	L2	07.40	03.35	10.00	04.83	06.06	06	14.25	10.92	11.00	07.83	10.37	09	14.00	14.00	01	11.00	11.00	11.00	02	08.38	18	
170	11ST0139	L2	09.63	08.75	10.00	04.00	07.58	06	10.00	10.41	10.00	08.67	09.55	05	10.00	10.00	01	12.00	08.75	10.38	02	09.63	14	
171	11ST0869	L2	08.13	10.00	06.67	04.00	06.89	06	13.58	11.01	10.00	09.19	10.59	09	14.00	14.00	01	11.75	10.00	10.88	02	08.87	18	
172	1333015821	L2	09.72	04.25	11.67	03.92	06.61	06	12.00	07.67	14.50	06.00	09.23	03	13.00	13.00	01	14.50	08.00	11.25	02	09.72	12	
173	1333012743	L2	08.39	10.00	06.83	04.00	06.94	06	11.04	10.33	10.75	09.00	10.02	09	13.50	13.50	01	10.50	13.75	12.13	02	08.85	18	
174	1333015268	L2	08.01	06.08	10.00	04.50	06.86	06	10.41	11.83	10.00	10.00	10.45	09	10.00	10.00	01	08.50	12.75	10.63	02	08.54	18	
175	1333002608	L2	09.23	07.83	12.33	07.83	09.33	06	16.16	11.59	13.00	10.58	12.38	09	14.00	14.00	01	12.50	10.25	11.38	02	10.75	30	S2 validé14
176	1333016720	L2	09.78	04.00	12.67	04.50	07.06	06	12.42	10.08	13.25	12.33	12.08	09	12.00	12.00	01	15.25	11.00	13.13	02	09.78	18	
177	1333003276	L2	08.51	07.83	06.17	05.17	06.39	00	11.25	11.50	10.25	10.00	10.60	09	13.00	13.00	01	13.00	17.00	15.00	02	09.03	12	
178	1333000968	L2	09.77	08.67	10.00	09.00	09.22	06	14.17	11.43	11.50	06.45	10.00	09	15.00	15.00	01	11.00	10.00	10.50	02	09.94	18	
179	1333001002	L2	07.86	05.83	10.00	05.17	07.00	06	13.00	09.62	13.50	07.00	10.02	09	11.00	11.00	01	10.75	12.50	11.63	02	08.67	18	
180	123006251	L2	09.41	10.00	10.08	04.67	08.25	12	10.33	08.41	11.50	12.25	10.95	09	10.00	10.00	01	10.00	14.00	12.00	02	09.59	24	
181	1333012922	L2	09.06	08.67	11.00	05.50	08.39	06	15.00	11.17	12.50	07.33	10.67	09	13.50	13.50	01	11.50	13.50	12.50	02	09.84	18	
182	123003384	L2	08.34	05.33	11.33	06.33	07.67	06	16.16	10.00	10.00	13.13	12.48	09	10.00	10.00	01	11.50	10.00	10.75	02	09.58	18	
183	1333005574	L2	07.54	07.08	10.00	11.17	09.42	12	11.00	10.75	10.75	11.25	11.00	09	12.00	12.00	01	10.00	10.00	10.00	02	10.10	30	S2 validé
184	1333014985	L2	09.16	11.25	08.83	08.08	09.39	06	14.00	14.83	10.50	09.33	11.60	09	14.00	14.00	01	10.00	08.25	09.13	01	10.28	30	S2 validé14
185	123006288	L2	09.12	05.50	11.67	09.17	08.78	06	12.33	10.75	10.00	09.31	10.34	09	10.00	10.00	01	12.00	10.00	11.00	02	09.57	18	
186	1333003039	L2	07.45	03.75	10.00	04.08	05.94	06	15.00	14.50	11.50	05.33	10.33	09	13.00	13.00	01	12.50	14.25	13.38	02	08.52	18	
187	1333011627	L2	08.65	10.42	09.67	06.83	08.97	06	13.50	11.32	08.50	09.17	10.33	09	12.00	12.00	01	08.25	12.00	10.13	02	09.69	18	
188	123011570	L2	09.21	05.92	12.83	07.17	08.64	06	14.00	14.25	10.75	06.17	10.27	09	14.00	14.00	01	10.00	12.75	11.38	02	09.75	18	
189	12T0724	L2	09.21	11.33	07.33	02.33	07.00	06	13.17	13.00	10.00	10.00	11.24	09	12.00	12.00	01	10.00	10.00	10.00	02	09.21	18	
190	123007273	L2	09.13	10.00	10.00	06.50	08.83	12	10.00	12.00	10.50	06.67	09.17	05	13.50	13.50	01	10.50	10.00	10.25	02	09.37	20	
191	12T0578	L2	08.50	11.00	07.83	02.67	07.17	06	12.91	10.25	10.00	06.67	09.30	05	10.00	10.00	01	12.00	06.00	09.00	01	08.50	13	
192	1333010039	L2	09.93	05.50	10.50	06.17	07.39	06	13.83	07.33	10.00	03.33	07.57	03	14.00	14.00	01	12.50	09.00	10.75	02	09.93	12	
193	1333012211	L2	09.40	05.67	09.67	06.83	07.39	00	13.08	11.91	12.00	11.00	11.80	09	13.00	13.00	01	10.50	10.00	10.25	02	09.40	12	
194	1333012269	L2	08.40	03.17	10.00	10.00	07.72	12	11.50	10.42	11.75	04.67	08.60	05	14.00	14.00	01	11.50	10.00	10.75	02	08.71	20	
195	1333014744	L2	09.03	05.00	11.92	03.83	06.92	06	16.50	10.91	13.00	07.67	11.15	09	12.00	12.00	01	14.50	14.00	14.25	02	09.32	18	
196	123006724	L2	08.21	04.50	10.00	05.50	06.67	06	14.75	10.83	07.50	10.17	10.68	09	11.33	11.33	01	13.50	12.50	13.00	02	08.87	18	
197	1333004113	L2	09.42	04.83	10.08	04.67	06.53	06	13.67	10.50	12.50	07.33	10.27	09	14.00	14.00	01	11.50	11.50	11.50	02	09.42	18	
198	123006309	L2	08.11	10.08	12.33	07.59	10.00	18	10.75	10.00	10.00	07.67	09.22	05	11.00	11.00	01	10.00	03.50	06.75	01	09.45	25	
199	123006202	L2	08.67	06.50	11.83	06.08	08.14	06	13.66	11.33	07.00	09.67	10.26	09	13.00	13.00	01	10.00	13.25	11.63	02	09.46	18	
200	1333013122	L2	08.77	10.83	09.33	07.33	09.17	06	14.10	09.00	10.00	07.50	09.62	03	14.00	14.00	01	10.50	10.00	10.25	02	09.71	12	
201	12ST12BA01	L2	09.80	03.33	10.17	04.33	05.94	06	10.67	00.00	10.00	06.00	06.53	03	12.00	12.00	01	10.00	00.00	05.00	01	09.80	11	
202	1333001025	L2	09.47	10.50	10.50	06.83	09.28	12	13.08	11.00	11.25	06.92	09.83	05	11.00	11.00	01	12.50	07.50	10.00	02	09.63	20	
203	123012757	L2	09.36	06.25	10.33	03.83	06.81	06	11.33	11.83	10.00	12.38	11.58	09	15.50	15.50	01	11.50	10.00	10.75	02	09.36	18	
204	08ST785	L2	08.21	11.50	07.50	04.42	07.81	06	11.75	10.25	10.00	10.75	10.70	09	11.00	11.00	01	10.00	10.00	10.00	02	09.10	18	

N°	Matricule	Niv	Moy 14	Moy C2	Moy M2	Moy P2	Moy UEF1 2	Créd UEF 12	TPC2	TPP2	Moy MP	Moy Info2	Moy UEM 12	Créd UEM 12	Moy MST2	Moy UED 12	Créd UED 12	Moy Fran2	Moy Angl2	Moy UET 12	Créd UET 12	Moy S2	Créd S2	Résultats
205	123011486	L2	08.68	08.17	10.17	02.83	07.06	06	10.33	10.00	10.00	11.67	10.73	09	10.00	10.00	01	13.00	15.50	14.25	02	09.16	18	
206	123006282	L2	09.90	06.00	10.00	04.83	06.95	06	11.67	11.17	10.00	07.50	09.57	05	12.00	12.00	01	11.75	07.50	09.63	01	09.90	13	
207	1333003449	L2	07.74	10.00	09.00	03.42	07.47	06	14.60	12.25	11.50	07.83	10.80	09	15.00	15.00	01	11.25	12.50	11.88	02	09.41	18	
208	123003446	L2	08.73	10.00	11.00	07.33	09.45	12	14.00	10.74	14.50	06.50	10.45	09	11.00	11.00	01	10.00	05.00	07.50	01	09.60	23	
209	1333000618	L2	10.16	07.67	10.33	03.83	07.28	06	13.67	09.75	14.00	03.33	08.82	03	11.00	11.00	01	12.50	05.50	09.00	01	10.16	30	S2 validé14
210	123007572	L2	09.62	04.67	09.67	03.92	06.08	00	13.92	11.50	11.50	09.33	11.12	09	12.00	12.00	01	13.50	14.50	14.00	02	09.62	12	
211	1333004257	L2	08.52	07.83	13.33	07.67	09.61	06	16.00	10.50	10.50	10.83	11.73	09	12.00	12.00	01	09.50	07.50	08.50	00	10.25	30	S2 validé14
212	123002475	L2	08.76	10.17	12.00	04.42	08.86	12	12.00	10.83	10.00	09.74	10.46	09	13.50	13.50	01	10.50	10.00	10.25	02	09.77	24	
213	123008232	L2	09.62	06.08	10.00	05.33	07.14	06	11.83	09.66	10.00	09.75	10.20	09	12.00	12.00	01	11.50	10.00	10.75	02	09.62	18	
214	12T1131	L2	08.33	07.33	13.83	04.92	08.69	06	11.67	11.41	11.00	08.17	10.08	09	10.00	10.00	01	13.00	10.50	11.75	02	09.54	18	
215	123011520	L2	08.16	10.00	10.75	03.17	07.97	12	13.08	12.42	10.00	08.50	10.50	09	13.00	13.00	01	11.00	08.00	09.50	01	09.19	23	
216	1333009097	L2	09.61	06.83	10.75	07.67	08.42	06	15.50	11.25	08.50	09.50	10.85	09	12.00	12.00	01	12.00	10.00	11.00	02	09.65	18	
217	1333008871	L2	08.14	04.00	14.50	04.00	07.50	06	13.25	09.50	13.00	09.83	11.08	09	12.00	12.00	01	11.00	16.00	13.50	02	09.52	18	
218	08ST290	L2	06.14	08.50	10.00	04.17	07.56	06	11.25	11.50	10.00	08.93	10.12	09	10.00	10.00	01	14.00	10.00	12.00	02	08.98	18	
219	12T0918	L2	09.34	10.00	09.00	08.00	09.00	06	12.33	11.00	10.00	08.33	10.00	09	13.00	13.00	01	12.00	12.50	12.25	02	09.91	18	
220	1333003447	L2	06.70	10.50	11.33	03.17	08.33	12	14.50	11.92	10.00	05.33	09.42	05	11.00	11.00	01	10.00	05.00	07.50	01	08.71	19	
221	1333011610	L2	07.85	07.17	10.00	03.92	07.03	06	14.33	08.98	15.00	06.00	10.06	09	10.00	10.00	01	13.25	15.25	14.25	02	08.94	18	
222	123015051	L2	09.12	05.83	13.92	03.00	07.58	06	13.66	09.34	10.00	10.06	10.62	09	12.50	12.50	01	10.00	10.00	10.00	02	09.12	18	
223	1333002694	L2	09.13	08.17	11.50	06.33	08.67	06	14.66	14.67	14.25	09.08	12.35	09	14.00	14.00	01	10.00	14.50	12.25	02	10.49	30	S2 validé14
224	123014741	L2	08.93	10.00	08.17	02.00	06.72	06	10.92	11.91	10.00	07.00	09.37	05	12.00	12.00	01	14.50	08.00	11.25	02	08.93	14	
225	123008895	L2	09.40	08.17	08.42	06.17	07.58	00	15.16	10.00	10.00	10.44	11.21	09	14.00	14.00	01	10.00	10.00	10.00	02	09.40	12	
226	123000992	L2	09.57	05.67	10.00	04.83	06.83	06	11.75	10.00	10.00	05.25	08.45	05	10.00	10.00	01	15.00	13.00	14.00	02	09.57	14	
227	1333011686	L2	08.12	10.00	11.33	05.67	09.00	12	11.00	10.00	10.00	07.33	09.13	05	11.00	11.00	01	10.00	10.00	10.00	02	09.27	20	
228	1333007469	L2	09.28	10.00	10.50	05.67	08.72	12	14.30	11.91	10.75	10.33	11.53	09	14.00	14.00	01	11.50	14.00	12.75	02	10.33	30	S2 validé14
229	129038055	L2	09.90	06.50	10.33	03.58	06.81	06	10.33	11.17	13.00	07.33	09.83	05	14.00	14.00	01	11.00	13.25	12.13	02	09.90	14	
230	12T0331	L2	08.67	07.50	11.17	04.50	07.72	06	15.00	09.92	10.00	08.03	10.20	09	10.00	10.00	01	10.50	10.00	10.25	02	08.88	18	
231	12T0330	L2	09.38	10.00	11.17	04.08	08.42	12	10.66	10.84	10.00	10.13	10.35	09	13.50	13.50	01	10.00	10.00	10.00	02	09.47	24	
232	123011618	L2	08.46	10.00	06.58	06.00	07.53	06	15.33	11.50	10.00	07.00	10.17	09	13.00	13.00	01	13.50	06.75	10.13	02	08.93	18	
233	1333015178	L2	09.83	06.00	09.00	08.17	07.72	00	12.16	11.16	10.00	09.40	10.42	09	12.00	12.00	01	13.50	08.00	10.75	02	09.83	12	
234	123015005	L2	09.94	05.83	10.67	03.33	06.61	06	11.39	11.75	10.00	08.43	10.00	09	13.00	13.00	01	12.50	09.25	10.88	02	09.94	18	
235	11ST0237	L2	08.61	08.83	10.00	06.17	08.33	06	11.67	10.50	10.00	11.00	10.83	09	12.00	12.00	01	10.00	10.00	10.00	02	09.48	18	
236	1333013389	L2	09.13	05.83	10.25	07.33	07.81	06	11.75	12.75	11.50	11.17	11.67	09	14.00	14.00	01	11.00	13.00	12.00	02	09.80	18	
237	123005125	L2	09.62	05.67	06.67	07.17	06.50	00	12.17	10.33	10.00	09.00	10.10	09	13.00	13.00	01	12.50	10.00	11.25	02	09.62	12	
238	1333005456	L2	09.51	07.50	11.33	05.50	08.11	06	12.58	11.17	11.50	09.00	10.65	09	14.00	14.00	01	10.50	11.00	10.75	02	09.51	18	
239	1333003460	L2	08.16	13.00	09.50	10.50	11.00	18	16.00	15.17	06.50	08.67	11.00	09	13.00	13.00	01	05.50	07.75	06.63	00	10.60	30	S2 validé14
240	123008230	L2	06.81	10.00	10.00	07.50	09.17	12	11.66	10.83	10.00	05.83	08.83	05	10.00	10.00	01	11.00	10.00	10.50	02	09.27	20	

N°	Matricule	Niv	Moy 14	Moy C2	Moy M2	Moy P2	Moy UEF1 2	Créd UEF 12	TPC2	TPP2	Moy MP	Moy Info2	Moy UEM 12	Créd UEM 12	Moy MST2	Moy UED 12	Créd UED 12	Moy Fran2	Moy Angl2	Moy UET 12	Créd UET 12	Moy S2	Créd S2	Résultats
241	123007613	L2	09.74	10.00	09.33	05.58	08.31	06	12.17	10.50	10.00	06.83	09.27	05	10.00	10.00	01	12.00	12.00	12.00	02	09.74	14	
242	123010067	L2	09.33	08.67	10.00	06.83	08.50	06	11.16	11.75	10.00	10.88	10.93	09	14.00	14.00	01	11.75	10.00	10.88	02	09.82	18	
243	12T1059	L2	09.22	07.33	07.67	05.33	06.78	00	14.41	10.08	10.00	09.88	10.85	09	14.00	14.00	01	11.00	10.00	10.50	02	09.22	12	
244	1333004039	L2	09.93	10.00	10.00	05.83	08.61	12	13.83	13.92	09.00	06.83	10.08	09	12.00	12.00	01	14.50	15.00	14.75	02	09.97	24	
245	1333009046	L2	09.05	06.50	10.08	07.92	08.17	06	11.39	10.08	10.00	11.00	10.69	09	17.00	17.00	01	10.00	10.00	10.00	02	09.65	18	
246	123015347	L2	07.50	10.83	10.00	04.17	08.33	12	14.50	06.83	10.00	00.00	06.27	03	12.50	12.50	01	13.00	00.00	06.50	01	07.75	17	
247	123009052	L2	08.82	05.08	10.00	06.50	07.19	06	11.00	10.50	12.00	11.00	11.10	09	12.00	12.00	01	11.50	10.00	10.75	02	09.04	18	
248	123011397	L2	08.74	07.25	11.33	06.33	08.31	06	13.00	10.75	12.50	08.83	10.78	09	10.50	10.50	01	10.00	10.00	10.00	02	09.36	18	
249	123010151	L2	09.46	10.00	08.50	07.17	08.56	06	10.00	10.83	14.50	08.83	10.60	09	13.00	13.00	01	14.50	07.00	10.75	02	09.68	18	
250	1333001032	L2	09.47	05.02	10.17	09.00	08.06	06	12.17	10.92	10.00	06.83	09.35	05	13.00	13.00	01	10.00	17.00	13.50	02	09.47	14	
251	1333012996	L2	09.30	04.17	13.67	07.17	08.33	06	12.91	14.00	11.25	06.50	10.23	09	15.00	15.00	01	13.50	13.50	13.50	02	09.89	18	
252	1333009105	L2	08.54	06.33	10.33	04.50	07.06	06	11.00	12.00	11.00	09.50	10.60	09	10.00	10.00	01	14.00	12.50	13.25	02	09.00	18	
253	1333015724	L2	08.47	10.00	10.00	05.00	08.33	12	08.13	11.75	11.50	07.83	09.41	03	13.00	13.00	01	14.50	07.50	11.00	02	09.24	18	
254	12T0092	L2	08.17	06.17	10.00	10.17	08.78	12	13.67	11.67	10.00	10.00	11.07	09	11.00	11.00	01	12.00	12.00	12.00	02	09.96	24	
255	12T0283	L2	08.80	06.33	10.33	05.00	07.22	06	11.00	12.33	10.00	11.50	11.27	09	14.00	14.00	01	14.50	16.50	15.50	02	09.78	18	
256	12T0570	L2	08.61	10.83	08.33	07.50	08.89	06	12.60	10.83	10.00	08.63	10.14	09	13.00	13.00	01	10.00	10.00	10.00	02	09.63	18	
257	1333008050	L2	09.33	06.42	10.67	10.00	09.03	12	10.37	12.58	10.00	08.53	10.00	09	13.50	13.50	01	14.00	11.00	12.50	02	09.99	24	
258	12T0050	L2	10.23	10.08	10.00	04.50	08.19	12	13.95	09.75	10.00	11.67	11.41	09	14.00	14.00	01	10.00	11.25	10.63	02	10.23	30	S2 validé14
259	123016324	L2	08.89	07.25	10.17	05.33	07.58	06	10.25	10.50	13.50	08.50	10.25	09	13.50	13.50	01	14.00	13.00	13.50	02	09.41	18	
260	12T0853	L2	07.75	10.08	06.33	03.67	06.69	06	14.33	09.16	10.00	09.38	10.45	09	13.50	13.50	01	15.50	16.00	15.75	02	09.26	18	
261	12T0226	L2	09.84	05.42	10.50	06.50	07.47	06	12.33	11.84	10.00	05.00	08.83	05	12.00	12.00	01	11.50	10.00	10.75	02	09.84	14	
262	12T0597	L2	07.82	08.17	09.17	03.25	06.86	00	10.75	10.25	10.00	12.38	11.15	09	13.00	13.00	01	14.50	10.00	12.25	02	09.12	12	
263	123019464	L2	08.46	10.00	10.50	05.17	08.56	12	13.00	09.67	10.00	09.13	10.18	09	13.50	13.50	01	13.00	10.00	11.50	02	09.67	24	
264	1333011329	L2	09.70	10.83	09.00	05.67	08.50	06	13.50	09.83	10.00	09.17	10.33	09	13.00	13.00	01	12.50	08.00	10.25	02	09.70	18	
265	1333005406	L2	09.58	06.83	10.33	05.75	07.64	06	12.91	11.66	13.50	08.83	11.15	09	12.00	12.00	01	13.00	10.50	11.75	02	09.58	18	
266	123016182	L2	10.37	05.67	11.00	05.67	07.44	06	12.33	05.66	10.00	06.42	08.17	03	11.00	11.00	01	11.50	06.50	09.00	01	10.37	30	S2 validé14
267	1333015141	L2	09.57	08.33	10.33	03.33	07.33	06	11.25	09.42	12.00	09.50	10.33	09	10.00	10.00	01	10.50	06.00	08.25	01	09.57	17	
268	1333013121	L2	08.07	06.00	10.67	08.00	08.22	06	13.33	12.17	12.00	09.67	11.37	09	13.00	13.00	01	12.00	10.50	11.25	02	09.78	18	
269	1333003260	L2	09.37	05.50	10.00	07.42	07.64	06	12.67	10.91	11.50	06.67	09.68	05	13.00	13.00	01	10.00	09.75	09.88	01	09.37	13	
270	123009103	L2	08.47	05.33	10.33	02.33	06.00	06	13.67	13.00	10.00	07.38	10.28	09	13.00	13.00	01	12.50	10.00	11.25	02	08.47	18	
271	1333011611	L2	08.38	08.83	13.00	09.17	10.33	18	11.88	11.34	05.00	05.33	07.78	04	13.50	13.50	01	05.50	06.50	06.00	00	09.26	23	
272	123016472	L2	09.02	10.00	10.33	03.58	07.97	12	13.00	11.17	10.00	04.75	08.73	05	14.00	14.00	01	10.00	10.00	10.00	02	09.02	20	
273	1333010096	L2	09.33	10.00	09.42	03.83	07.75	06	13.33	10.16	12.50	08.08	10.43	09	14.00	14.00	01	12.50	14.00	13.25	02	09.55	18	
274	1333026307	L2	08.31	03.56	10.50	04.42	06.16	06	12.58	11.17	13.50	08.00	10.65	09	14.00	14.00	01	16.00	10.00	13.00	02	08.74	18	
275	11ST0683	L2	07.34	10.00	10.08	01.33	07.14	12	11.67	11.00	11.00	05.67	09.00	05	13.50	13.50	01	11.00	10.00	10.50	02	08.46	20	
276	1333015731	L2	08.36	06.25	10.33	04.58	07.06	06	12.08	10.42	10.25	09.00	10.15	09	15.00	15.00	01	12.50	14.25	13.38	02	09.18	18	

N°	Matricule	Niv	Moy 14	Moy C2	Moy M2	Moy P2	Moy UEF1 2	Créd UEF 12	TPC2	TPP2	Moy MP	Moy Info2	Moy UEM 12	Créd UEM 12	Moy MST2	Moy UED 12	Créd UED 12	Moy Fran2	Moy Angl2	Moy UET 12	Créd UET 12	Moy S2	Créd S2	Résultats
277	12T0760	L2	09.08	10.08	10.42	02.50	07.67	12	11.25	10.00	10.00	03.50	07.65	05	12.50	12.50	01	10.00	09.50	09.75	01	09.08	19	
278	1333016568	L2	08.67	05.50	10.00	04.67	06.72	06	15.17	10.75	12.00	07.17	10.45	09	14.00	14.00	01	10.50	08.00	09.25	01	08.67	17	
279	1333008272	L2	09.16	06.92	11.83	05.08	07.94	06	15.33	13.16	14.50	07.83	11.73	09	13.50	13.50	01	10.00	10.00	10.00	02	09.63	18	
280	1333010308	L2	09.22	05.00	09.50	06.25	06.92	00	13.17	10.17	15.00	08.08	10.90	09	14.50	14.50	01	14.50	07.00	10.75	02	09.22	12	
281	1333005590	L2	09.27	10.00	11.17	05.08	08.75	12	14.33	11.16	10.00	07.50	10.10	09	16.00	16.00	01	10.00	10.50	10.25	02	09.75	24	
282	1333013902	L2	08.65	10.50	09.50	10.00	10.00	18	15.66	11.16	10.00	08.17	10.63	09	14.00	14.00	01	12.50	05.00	08.75	01	10.27	30	S2 validé14
283	12MI023514CT	L2	09.59	04.25	10.00	02.83	05.69	06	10.50	08.25	10.00	06.50	08.35	03	10.67	10.67	01	12.00	14.00	13.00	02	09.59	12	
284	1333015242	L2	07.88	10.50	05.42	07.42	07.78	06	11.00	10.00	13.00	08.33	10.13	09	14.50	14.50	01	15.50	15.00	15.25	02	09.75	18	
285	11ST1132	L2	09.30	10.00	10.67	05.50	08.72	12	12.08	08.75	13.00	01.50	07.37	03	13.50	13.50	01	14.50	17.50	16.00	02	09.46	18	
286	12T0175	L2	09.68	07.08	07.17	03.25	05.83	00	13.66	11.16	10.00	10.75	11.26	09	14.00	14.00	01	16.00	10.00	13.00	02	09.68	12	
287	1333005578	L2	09.06	02.50	10.75	03.17	05.47	06	10.17	10.25	14.00	08.67	10.35	09	12.00	12.00	01	11.50	09.50	10.50	02	09.06	18	
288	1333016786	L2	08.64	10.33	15.50	05.83	10.56	18	16.67	10.25	13.25	11.17	12.50	09	10.00	10.00	01	11.00	05.50	08.25	01	10.82	30	S2 validé14
289	1333002597	L2	09.61	07.33	08.33	05.00	06.89	00	14.00	06.83	12.50	08.50	10.07	09	11.50	11.50	01	18.50	16.50	17.50	02	09.61	12	
290	12T0316	L2	08.26	04.67	05.00	10.17	06.61	06	10.08	10.25	10.00	10.00	10.07	09	11.00	11.00	01	16.50	13.75	15.13	02	08.89	18	
291	123006311	L2	07.29	04.67	10.00	02.83	05.83	06	11.83	08.58	10.75	09.50	10.03	09	10.00	10.00	01	10.00	10.00	10.00	02	07.80	18	
292	12T0172	L2	07.83	10.00	09.17	03.25	07.47	06	13.20	10.17	10.00	10.00	10.68	09	12.00	12.00	01	12.50	10.00	11.25	02	09.13	18	
293	123012983	L2	09.69	10.00	07.67	08.17	08.61	06	10.16	09.75	10.00	11.25	10.48	09	11.50	11.50	01	10.00	10.25	10.13	02	09.69	18	
294	123014920	L2	07.82	08.17	11.33	04.83	08.11	06	15.00	11.50	10.00	09.33	11.03	09	10.50	10.50	01	14.00	14.00	14.00	02	09.80	18	
295	1333004976	L2	09.91	05.83	11.08	06.17	07.69	06	12.54	12.24	14.50	06.00	10.26	09	11.00	11.00	01	13.50	13.00	13.25	02	09.91	18	
296	123019883	L2	08.30	12.33	11.83	03.83	09.33	12	12.83	10.17	10.00	09.50	10.40	09	11.00	11.00	01	13.50	07.50	10.50	02	09.88	24	
297	12T0259	L2	08.62	05.50	11.17	05.33	07.33	06	16.00	11.16	10.00	07.14	10.29	09	13.50	13.50	01	10.00	14.00	12.00	02	09.11	18	
298	123006048	L2	09.20	05.92	05.33	02.25	04.50	00	11.00	09.34	10.00	10.85	10.41	09	13.50	13.50	01	11.00	00.00	05.50	01	09.20	11	
299	1333013857	L2	08.03	08.17	12.00	04.50	08.22	06	10.08	11.00	10.00	05.67	08.48	05	07.00	07.00	00	12.00	10.00	11.00	02	08.55	13	
300	123003389	L2	07.02	11.00	10.33	09.00	10.11	18	12.60	07.33	05.50	03.17	06.35	02	00.00	00.00	00	03.50	01.00	02.25	00	07.49	20	
301	1333009124	L2	09.58	07.83	10.33	04.33	07.50	06	12.66	10.91	15.50	07.50	10.81	09	16.00	16.00	01	14.00	11.50	12.75	02	09.59	18	
302	1333007361	L2	09.36	05.50	10.17	07.33	07.67	06	11.83	11.75	13.25	06.67	10.03	09	12.00	12.00	01	14.00	06.50	10.25	02	09.36	18	
303	123013268	L2	09.97	07.67	05.67	09.17	07.50	00	13.91	10.33	12.00	09.00	10.85	09	14.00	14.00	01	15.50	15.00	15.25	02	09.97	12	
304	123011484	L2	08.57	03.67	13.50	02.50	06.56	06	11.08	10.00	10.00	09.46	10.00	09	11.50	11.50	01	13.00	12.00	12.50	02	08.57	18	
305	123009243	L2	09.57	07.67	10.00	05.67	07.78	06	10.00	11.74	13.50	06.25	09.55	05	10.50	10.50	01	12.50	10.25	11.38	02	09.57	14	
306	1333006525	L2	08.94	10.08	10.33	04.83	08.42	12	12.50	11.83	11.50	09.33	10.90	09	15.00	15.00	01	10.00	14.00	12.00	02	09.96	24	
307	1333012020	L2	08.47	08.67	11.00	04.67	08.11	06	14.58	14.09	12.00	09.17	11.80	09	14.00	14.00	01	10.00	11.00	10.50	02	09.82	18	
308	123010152	L2	07.36	10.00	10.33	10.00	10.11	18	10.00	12.50	10.00	07.33	09.43	05	13.50	13.50	01	10.00	10.00	10.00	02	10.10	30	S2 validé
309	11ST0259	L2	09.01	10.00	10.00	02.50	07.50	12	13.25	11.50	10.00	07.00	09.75	05	12.50	12.50	01	13.50	10.25	11.88	02	09.01	20	
310	1333015708	L2	09.94	06.83	11.33	04.25	07.47	06	12.91	12.33	10.00	07.38	10.00	09	12.00	12.00	01	11.00	11.00	11.00	02	09.94	18	
311	1333002659	L2	09.05	10.00	12.17	10.00	10.72	18	16.41	10.17	10.00	08.50	10.72	09	10.00	10.00	01	07.00	10.00	08.50	01	10.42	30	S2 validé14
312	123013260	L2	08.85	04.42	10.33	05.50	06.75	06	10.83	10.59	10.00	11.83	11.02	09	14.00	14.00	01	10.00	12.75	11.38	02	08.98	18	

N°	Matricule	Niv	Moy 14	Moy C2	Moy M2	Moy P2	Moy UEF1 2	Créd UEF 12	TPC2	TPP2	Moy MP	Moy Info2	Moy UEM 12	Créd UEM 12	Moy MST2	Moy UED 12	Créd UED 12	Moy Fran2	Moy Angl2	Moy UET 12	Créd UET 12	Moy S2	Créd S2	Résultats
313	1333007473	L2	08.56	05.00	07.00	05.50	05.83	00	15.60	11.08	09.00	09.33	10.87	09	14.50	14.50	01	15.00	07.00	11.00	02	08.56	12	
314	1333010213	L2	08.81	10.00	10.67	06.17	08.94	12	13.66	08.75	11.00	08.33	10.02	09	13.50	13.50	01	12.50	11.50	12.00	02	09.89	24	
315	123000731	L2	09.74	08.33	13.75	03.83	08.64	06	10.03	10.00	12.50	08.83	10.04	09	13.00	13.00	01	11.00	11.50	11.25	02	09.74	18	
316	123012093	L2	08.36	11.50	10.00	03.17	08.22	12	15.42	11.00	10.00	10.56	11.51	09	15.50	15.50	01	11.50	10.00	10.75	02	09.91	24	
317	123014746	L2	09.63	06.00	10.00	05.00	07.00	06	10.80	09.00	10.00	04.83	07.89	03	10.50	10.50	01	15.50	12.50	14.00	02	09.63	12	
318	123000886	L2	09.29	06.67	07.83	03.25	05.92	00	14.66	11.75	10.00	08.67	10.75	09	13.50	13.50	01	12.00	13.75	12.88	02	09.29	12	
319	1333016544	L2	09.85	04.67	12.00	04.50	07.06	06	11.91	08.50	14.50	08.58	10.42	09	13.00	13.00	01	13.50	12.00	12.75	02	09.85	18	
320	1333002622	L2	09.76	06.50	10.17	04.67	07.11	06	14.16	12.50	15.00	09.67	12.20	09	14.00	14.00	01	11.50	12.00	11.75	02	09.76	18	
321	1333004926	L2	09.70	08.25	10.67	06.00	08.31	06	12.25	12.50	10.00	06.00	09.35	05	14.00	14.00	01	10.00	10.50	10.25	02	09.70	14	
322	1333003170	L2	08.02	01.67	10.33	05.17	05.72	06	12.17	10.91	17.00	05.17	10.08	09	12.00	12.00	01	14.25	15.00	14.63	02	08.42	18	
323	1333007428	L2	09.51	07.83	08.00	10.00	08.61	06	11.33	10.00	10.00	09.33	10.00	09	13.00	13.00	01	13.00	10.00	11.50	02	09.62	18	
324	12T0650	L2	08.84	06.17	10.00	00.50	05.56	06	12.16	09.50	10.00	12.38	11.28	09	13.00	13.00	01	10.00	14.00	12.00	02	08.84	18	
325	123012568	L2	09.80	05.50	10.83	06.17	07.50	06	11.42	10.33	13.00	07.63	10.00	09	10.00	10.00	01	10.50	10.00	10.25	02	09.80	18	
326	1333012276	L2	09.68	06.25	09.33	06.67	07.42	00	12.80	10.00	13.50	10.33	11.39	09	11.00	11.00	01	12.50	10.00	11.25	02	09.68	12	
327	1333004720	L2	07.72	10.33	10.00	05.58	08.64	12	13.50	10.41	13.50	07.00	10.28	09	10.00	10.00	01	10.50	15.75	13.13	02	09.73	24	
328	1333005462	L2	08.75	10.00	11.33	04.42	08.58	12	14.00	13.50	11.50	08.17	11.07	09	10.00	10.00	01	10.00	10.50	10.25	02	09.59	24	
329	11MI303CF12ST	L2	05.63	01.12	10.00	00.83	03.98	06	14.00	10.00	10.00	13.50	12.20	09	10.00	10.00	01	10.00	03.00	06.50	01	07.05	17	
330	123012087	L2	08.51	01.17	10.00	00.50	03.89	06	10.00	10.25	10.00	11.75	10.75	09	14.00	14.00	01	10.50	10.00	10.25	02	08.51	18	
331	1333008915	L2	09.11	10.00	10.33	05.33	08.56	12	13.00	13.16	07.75	08.67	10.25	09	14.00	14.00	01	08.50	14.00	11.25	02	09.69	24	
332	123016188	L2	09.20	03.83	10.00	07.33	07.06	06	13.83	11.25	10.00	07.83	10.15	09	15.00	15.00	01	13.50	15.00	14.25	02	09.28	18	
333	123003260	L2	09.90	06.67	08.67	02.83	06.06	00	10.00	10.17	12.25	09.50	10.28	09	13.00	13.00	01	10.00	11.50	10.75	02	09.90	12	
334	1333003393	L2	09.01	06.33	11.33	06.17	07.94	06	10.60	10.00	14.50	08.50	10.42	09	14.00	14.00	01	14.00	10.00	12.00	02	09.51	18	
335	09ST0422	L2	09.15	11.00	11.00	01.67	07.89	12	14.75	11.50	10.00	08.17	10.52	09	10.00	10.00	01	12.00	12.50	12.25	02	09.30	24	
336	123003397	L2	08.58	12.67	08.33	08.33	09.78	06	12.42	12.99	10.00	04.83	09.01	05	10.50	10.50	01	12.00	14.25	13.13	02	09.99	14	
337	123014897	L2	07.82	05.50	12.67	03.58	07.25	06	14.33	12.34	10.00	10.75	11.63	09	10.00	10.00	01	14.50	10.00	12.25	02	09.29	18	
338	1333003309	L2	08.90	10.00	12.50	08.50	10.33	18	14.16	12.75	13.75	10.50	12.33	09	14.00	14.00	01	11.50	07.50	09.50	01	11.04	30	S2 validé14